# ACCESSORES AND PARTS OF A VAST SELECTION FOR YOUR ONE STOP SHOPPING NEEDS

## INTRODUCTION

Just like all of our other categories of products, Leapers UTG® continuously strives to provide a comprehensive selection of firearms accessories and parts. Trust in us to continue to listen to our customer's suggestions and feedback and devote our full energy, attention, and effort to developing what is asked of us from you, our loyal customers. We do not just offer parts and tools; every product incorporates the UTG® touch. Designed, developed, prototyped, and executed entirely in-house. If you find yourself here looking to accessorize and kit out your MSR from the ground up, you need not look any further. Our full lineup of products are always ready out of the box and come complete with everything you need to get up and gunning. Be sure to check out the new UTG PRO® USA Made flip-up sights and handguards, along with an extensive new series of M-LOK®, Keymod, and Picatinny foregrips, hand stops, and angled foregrips. Lastly, be sure to take a look at our new series of AR receiver components and polymer

THE BEST NEVER REST LIFETIME WARRANTY

## ABSOLUTE COMMITMENT TO QUALITY



**Intensive Engineering and Programming** 




State of the Art Manufacturing



**Optimized Fixture Design and Layout** 







**Relentless Search for Excellence** 



AND MUST HAVE PRODUCTS FOR 2019

**UTG PRO® PISTOL** 



**UTG® POLYMER MAGAZINES** 







**UTG® AR15 COMPONENTS & SMALL PARTS** 



# +O PISTOL BASE PADS PROUDLY MADE IN U.S.A.







PRECISION MACHINED

6061-T6 ALUMINUM

+0 +0 CAPACITY





MATTE BLACK ANODIZED MATTE BLUE ANODIZED

MATTE RED ANODIZED MATTE BRONZE ANODIZED



#### UTG PRO® + O Pistol Magazine Base Pads

- Models Available for Some of the Most Popular Double Stack Pistols on the Market
- 0.347" Extended Height and 1 oz. Weight Helps Facilitate Faster Reloads with or without a Magwell
- IDPA & USPSA Legal





| Item # Black                                 | PUBGL01                          | PUBGL02                          | PUBCZ01                          | PUBHK01                          | PUBSG01                                    | PUBSI01                                 | PUBSW01                           | PUBWR01                          |
|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|--|---|-----------------------------------|----------------------------------|
| Make/Model                                   | Glock<br>Small Frame             | Glock<br>Large Frame             | • P07<br>• P10C 9/40             | <b>HK</b> • VP9 • P30 9/40       | • P320 9/40<br>• P320 X5<br>(w/o mag well) | • XDm 9mm (with square magazine spring) | • M&P 9/40<br>(double stack only) | • PPQ 9/40                       |
| Capacity                                     |                                  |                                  |                                  |                                  | +0   |   |                                   |                                  |
| Weight                                       |                                  |                                  |                                  |                                  | 1 oz                                       |   |                                   |                                  |
| Other Available Colors B=Blue R=Red Z=Bronze | PUBGL01B<br>PUBGL01R<br>PUBGL01Z | PUBGL02B<br>PUBGL02R<br>PUBGL02Z | PUBCZ01B<br>PUBCZ01R<br>PUBCZ01Z | PUBHK01B<br>PUBHK01R<br>PUBHK01Z | PUBSG01B<br>PUBSG01R<br>PUBSG01Z           | PUBSIO1B<br>PUBSIO1R<br>PUBSIO1Z        | PUBSW01B<br>PUBSW01R<br>PUBSW01Z  | PUBWR01B<br>PUBWR01R<br>PUBWR01Z |


MADE IN USA

PRECISION MACHINED

6061-T6 ALUMINUM













#### **UTG PRO® Ultra Slim Glock® Magwells**

- 6061-T6 Aluminum Construction, Matte Anodized Finish, Lightweight, with an Ultra Slim Profile
- · One-piece Construction for a Tailored Fit
- All Edges and Corners Chamfered and Dehorned
- · Carry-oriented Funnel Height and Angle Corrects Misaligned Magazine Insertions for Faster Reloads



| Item # Black                        | PUMGL01                       | PUMGL02              | PUMGL03                   | PUMGL04              |
|-------------------------------------|-------------------------------|----------------------|---------------------------|----------------------|
| Make/Model                          | Glock® 17, 22, 34 Gen. 3 or 4 | Glock® 17, 34 Gen. 5 | Glock® 19, 23 Gen. 3 or 4 | Glock® 19 Gen. 5     |
| Weight                              | .4oz                          | .4oz                 | .4oz                      | .4oz                 |
| Other Available Colors B=Blue R=Red | PUMGL01B<br>PUMGL01R          | PUMGL02B<br>PUMGL02R | PUMGL03B<br>PUMGL03R      | PUMGL04B<br>PUMGL04R |

# AR15 OPS READY S4 4 POSITION STOCKS & ASSEMBLIES PROUDLY MADE IN U.S.A.



# AR15 OPS READY \$3 6 POSITION STOCKS & ASSEMBLIES PROUDLY MADE IN U.S.A.



HIGH STRENGTH POLYMER




US PAT. D818074



ADJUSTABLE STOCK

#### **Ultra Sub-compact Stock**




AVAILABLE COLOR(S) BLACK POLYMER



PARTS INCLUDED IN KIT

# **Buffer Spring**





Removable Cheek Riser







#### UTG PRO® AR15 Ops Ready S4 4 Position Stocks & Assemblies

- Stock and Cheek Rest Molded from Impact Resistant High Strength Polymer
- Lightweight, Ultra Sub-compact Profile, Ideal for Compact Applications
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- · Included Removable Cheek Rest for Improved Shooting Stability and Comfort











Receiver End Plate

Castle Nut







| Item #     | RBUS3BM                                   | RBUS3DM  | RBUS3BMS | RBUS3DMS  |  |
|------------|---|----------|----------|-----------|--|
| Туре       | Mil-spec                                  |          |          |           |  |
|            | Stock                                     | Assembly | S        | tock Only |  |
| Color      | Black                                     | FDE      | Black    | FDE       |  |
| Dimensions | 6.05" Length x 1.50" Width x 4.75" Height |          |          | Height    |  |
| Weight     | 16.87 oz 7.02 oz                          |          |          | 7.02 oz   |  |



# AR15 OPS READY S2 6 POSITION STOCKS AND ASSEMBLIES PROUDLY MADE IN U.S.A.

UTG PRO® AR15 Ops Ready S2 6 Position Stocks and Assemblies

· Lightweight Slim Profile with Extended 7.50" Length for Increased Length of Pull

Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function

Stock Molded from Impact Resistant High Strength Polymer



MADE IN USA

ADJUSTABLE STOCK


HIGH STRENGTH POLYMER

# AR15 OPS READY S1 6 POSITION STOCKS AND ASSEMBLIES PROUDLY MADE IN U.S.A.



ADJUSTABLE STOCK

**Full Size Stock** 



AVAILABLE COLOR(S)



6 Position Mil-spec Extension Tube





Castle Nut








BLACK POLYMER FDE POLYMER



**Buffer Spring** 



Reversible QD Sling

Swivel Housing

Ambidextrous Standard

Sling Loop

Rubberized Butt Pad with


Nonslip Textured Pattern

Latch for 6-position


Snag-free Performance with Fully Dehorned Corners and Melted

Contours for Increased Comfort


Extended Front End Enables Stock to be Flush with the Lower Receiver for a More Integral Look







# **Buffer Spring**











RBUS1BM Item # RBUS1DM RBUS1DMS Mil-spec Stock Only Stock Assembly Color Black FDE 8.50" Length x 2.25" Width x 5.50" Height Dimensions 23.05oz 12.60oz Weight

Reversible QD Sling

Swivel Housing

Snag-free Performance with Fully Dehorned Corners and Melted

Contours for Increased Comfort

Ambidextrous Standard

Sling Loop

Ergonomically Chamfered

Rubberized Butt Pad with Nonslip Textured Pattern

Extended Front End Enables Stock to be Flush with the Lower Receiver for a More Integral Look






# AR15 OPS READY S5 FIXED STOCK PROUDLY MADE IN U.S.A.



# AR15 & AR308 STANDARD BUTT STOCK ASSEMBLIES















Picatinny Panel Covers (X2)

#### UTG PRO® AR15 Ops Ready S5 Fixed Stock

Stock Molded from Impact Resistant High Strength Polymer

14.80 oz




#### UTG PRO® AR15 Ops Ready U6 6 Position Stock **Assemblies**

- Stock Molded from Impact Resistant Polymer with Reinforced Stress Points for Maximum Durability
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- · Dual Standard Sling Loop Attachment Points







End Plate Extension Tube

#### **ADDITIONAL ACCESSORIES AVAILABLE**



**AR15 Ergonomic Butt Pad for U6 6 Position Collapsible Stock** 

Provides Additional Comfort when Shouldered

#### **AR15 Standard A2 Fixed Butt Stock Assembly**


Stock Molded from Impact Resistant High Strength Polymer



#### **AR308 Standard A2 Fixed Butt Stock Assembly** Stock Molded from Impact Resistant High Strength Polymer

· Compatible with Armalite AR-10, DPMS LR-308, S&W M&P10 and Other Clones













| em #       | RBU6BM         | RBU6DM                           | RBU6BC          | RB-T469B  | RB-T469D           | RB-T308FB        |
|------------|----------------|----------------------------------|-----------------|-----------|--------------------|------------------|
| latform    |                |                                  | AR15            |           |                    | AR308            |
| /pe        |                | 6 Position Adju                  | ustable         |           | Fixed A2           |                  |
|            | Stock Assembly |                                  |                 |           |                    |                  |
|            | N              | 1il-spec                         | Commercial-spec |           | N/A                |                  |
| olor       | Black          | FDE                              | Black           | Black     | FDE                | Black            |
| limensions | 6.88" L        | 6.88" Length x 1.68" Width x 5.1 |                 | 10.75" Le | ength x 1.62" Widt | h x 5.14" Height |
| Veight     | 16.90oz        | 17oz                             | 18.20oz         | 2         | 26.40oz            | 25.50 oz         |

# AR15 & AR308 6 POSITION RECEIVER EXTENSION TUBES & KITS PROUDLY MADE IN U.S.A.

UTG PRO® AR15 & AR308 6 Position Receiver Extension Tubes & Kits

• Tightest Tolerance Controls for a Secure Fit and Function with Various Collapsible Stocks

for Durable Thread Engagement with Lower Receiver

• Extension Tube CNC Machined from 7075-T6 or 6061-T6 Aircraft Aluminum with Precisely Rolled Threads

Finished in a Matte Black/Blue/Red/Bronze Type III Class II Hard Coat Anodization or FDE CERAKOTE®

# **PISTOL** RECEIVER EXTENSION TUBES & KITS


MADE IN USA

PRECISION MACHINED

6065-T6 ALUMINUM

7075-T6 ALUMINUM


**6 Position Extension Tube** 




AVAILABLE COLOR(S)

MATTE BLUE ANODIZED

MATTE RED ANODIZED





6 Position Mil-spec Extension Tube



Recoil Buffer Receiver End Plate Castle Nut





MATTE BLACK ANODIZED

MATTE BRONZE ANODIZED

FDE CERAKOTE®

# PARTS INCLUDED IN KIT

#### **AR15 Mil-spec 6 Position Receiver Extension Tubes**

Platform

Material

Dimensions

Color

BLACK BLUE RED TLU001-KIT | TLU001D-KIT | TLU001MS | TLU001 | TLU001R | TLU001B | TLU001Z | TLU001D | TLU006

Black

Tube Kit

6061-T6

9.25oz

BRONZE FDE

7075-T6

Black

**AR15 Mil-spec 6 Position Receiver Extension Tube Kits** BLACK FDE TLU001-KIT

AR15

Mil-spec

7.25"x1.14"x1.44"

**AR15 Commercial-spec 6 Position Receiver Extension Tube** BLACK TLU006

Tube Only

Bronze

6061-T6

TLU002 AR308 Mil-spec 7.80"x1.17"x1.45" 7.90"x1.14"x1.44"

**AR308 6 Position Receiver** 

**Extension Tube** 

BLACK

TLU002

Black

Commercial-spec

#### **UTG PRO® AR Pistol Receiver Extension Tube & Kits**

- 1.2" OD Receiver Extension Tube Compatible with AR15 Lower Receivers
- Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- Finished in a Matte Black Type III Class II Hard Coat Anodized Finish
- Compatible with Standard AR15 Type Buffers and Springs
- Compatible with Most AR Pistol Receiver Extension Tube Covers



#### **AR Pistol Receiver Extension Tube** BLACK TLU008

**AR Pistol Receiver Extension Tube Kit** BLACK

TLU008-KIT

| Item # (Model) | TLU008    | TLU008-KIT | TLU009    | TLU009-KIT |
|----------------|-----------|------------|-----------|------------|
| Platform       |           | AR         | Pistol    |            |
| Туре           | Tube Only | Tube Kit   | Tube Only | Tube Kit   |
| Material       | 7075-T6   |            |           |            |
| Color          | Black     |            |           |            |
| Dimensions     | OD 1      | .2"x7.24"  | OD 1      | .25"x8.5"  |
| Weight         | 4oz       | 9.9oz      | 6.2oz     | 12.2oz     |

#### UTG PRO® AR Pistol Extended Receiver Extension Tube & Kits

- · Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- · Finished in a Matte Black Type III Class II Hard Coat Anodized Finish
- · Compatible with Standard AR15 Type Buffers and Springs
- 8.5" Extended Length and Compatible with Gear Head Works Tailhook Mod 1 Brace and or Most AR Pistol Receiver Extension Tube Covers





**AR Pistol Extended Receiver Extension Tube** TLU009

**AR Pistol Extended Receiver Extension Tube Kit** 

Buffer Spring

TLU009-KIT





#### **AR15 H3 Recoil Buffer**

- · 3 Heavy Tungsten Weights
- · Total Weight 5.4 oz [Also Refer to P.144]





Total Weight 4.6 oz

[Also Refer to P.144]

· 2 Heavy Tungsten Weights and 1 Steel Weight

• 3 Steel Weights

RB-T6BFHC

· Total Weight 3.0 oz [Also Refer to P.144]

**AR15 Carbine Recoil Buffer** 

# 顿

# **AR15 FLIP-UP FRONT / REAR SIGHTS & TOOLS**





## UTG PRO® Spring-loaded Flip-up Front Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Anodized Finish
- Push-button Activated Sight Tower Automatically Locks into the Upward Position when Deployed
- Standard Elevation Adjustable A2 Front Sight Post is Interchangeable with Most Aftermarket Posts
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails







#### UTG PRO® Spring-loaded Flip-up Rear Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Anodized Finish
- Push-button Activated Sight Tower Automatically Locks into the Upward Position when Deployed
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails







#### US PAT. 10030935

PATENT PENDING

#### MNT-745

#### ACCU-SYNC® 45 Degree Flip-up Front Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- 45 Degree Angled Offset Allows Access to Iron Sights Simultaneously with Primary Mounted Magnified Optics
- Posi-lock Retention Plunger Locks Sight in Deployed Position
- Tool-free Front Sight Post Elevation Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil stops for a Secure Zero Hold and Return to Zero on Picatinny Rails







PATENT PENDING

#### T-945

## ACCU-SYNC® 45 Degree Flip-up Rear Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- 45 Degree Angled Offset Allows Access to Iron Sights Simultaneously with Primary Mounted Magnified Optics
- Posi-lock Retention Plunger Locks Sight in Deployed Position
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails










# ACCU-SYNC® Spring-loaded Flip-up Front Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- Lightweight, Space Saving, Fold Over Design Uses Minimal Rail Space
- Posi-lock Push Button Automatically Deploys the Spring Loaded Sight and Prevents Sight from Collapsing when Deployed
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails









## MNT-957

## ACCU-SYNC® Spring-loaded Flip-up Rear Sight

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- Lightweight, Space Saving, Fold Over Design Uses Minimal Rail Space
   Posi-lock Push Button Automatically Deploys the Spring Loaded Sight and
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails



Prevents Sight from Collapsing when Deployed





#### MNT-755

#### Low Profile Flip-up Front Sight

- Aluminum/Steel Construction with a Matte Black Finish
- Standard A2 Front Sight Post with Precise Elevation Adjustment
- Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to any Picatinny Rail







#### MN1-955

#### Low Profile Flip-up Rear Sight

- Aluminum/Steel Construction with a Matte Black Finish
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to any Picatinny Rail







#### SCP-A1245-A

## Dual A2 Front Sight Tool

- Machined Steel with Knurled Surface Texture
   For Use on Both 4 and 5-prong Front Sight
- posts









140

14

# 5 FIXED FRONT & REAR SIGHTS

# AR15 CARRY HANDLE SIGHTS SHOTGUN SIGHTS





**FOR SAME PLANE APPLICATIONS** 

#### **Low Profile Super Slim Front Sight**

(Designed to Match MT-950RS03 Rear Sight)

- · Low Profile Front Sight with Adjustable A2 Front Sight Post, Fits on Picatinny Handguard or High Profile Gas Block Leveled with Flat Top Upper Receiver
- · Utilizes a Locking Torx Screw Side Plate and Integral Square-shaped Recoil Stop to Ensure a Secure Zero Hold
- · CNC Machined 6061-T6 Aircraft Aluminum and Steel Construction with a Matte Black Finish








HIGH PROFILE SIGHT FOR LOWERED OFFSET GAS BLOCK APPLICATIONS

#### **High Profile Super Slim Front Sight**

- High Profile Front Sight with Adjustable A2 Front Sight Post, Fits Lowered Offset Picatinny Railed Gas Blocks
- · Utilizes a Locking Torx Screw Side Plate and Integral Square Shaped Recoil Stop to Ensure a Secure Zero Hold
- CNC Machined 6061-T6 Aircraft Aluminum and Steel Construction with a Matte Black Finish







#### Super Slim Rear Sight

(Designed to Match MT-754X Front Sight)

- Precision CNC Machined 6061-T6 Aircraft Aluminum Base with Steel A2 Sight Assembly
- Slim and Lightweight Profile with a Durable Wear Resistant Matte Black Finish
- Tool-free Windage and Elevation Adjustment with Dual Apertures
- Utilizes a Single Locking Torx Screw and Square-shaped Integral Recoil Stop for a Secure Zero Hold and Return to Zero on MIL-STD-1913 Picatinny Rails







#### Mil-Spec Compact A2 Rear Sight

- Precision Machined from Aircraft Aluminum and Steel with a Matte Black Finish
- · Slim Profile and Base Uses Minimal Rail Space
- · Tool-free Windage and Elevation Adjustment Steel A2 Sight Assembly with Dual Apertures
- · Low Profile Locking Retention Thumb Wheel and Side Plate







#### **UTG PRO® Mil-spec Forged Carry Handle Sight**

- Mil-spec Match Grade Detachable Carry Handle with A2 Sight Assembly
- Picatinny Mounting Base with Full Length Locking Plate and Dual Oversized Locking
- Forged 7075-T6 Aluminum and Steel Construction Finished in a Matte Black Anodization
- Steel A2 Sight Assembly Provides Precise and Reliable Windage/Elevation Adjustment, Complete with Dual Aiming Apertures







Enhanced Carry Handle Rear Sight

- · Utilizes a Full Length Two Point Locking Side Plate with Low Profile Thumb Wheels and Four Integral Recoil Stops to Ensure a Secure Zero Hold
- CNC Machined 6061-T6 Aluminum and Steel Construction with a Matte Black Finish






#### Sub-compact Rear Sight

- · Precision Machined Aircraft Aluminum with a Matte Black Finish
- Designed to Match MNT-722 & 716 Clamp-on Front Sights
- · Optimally Sized Aiming Aperture
- Complete Windage/Elevation Adjustment in an Extremely Sub-compact and Lightweight Design
- · One Piece Integral Picatinny Mounting Base





Adjustment


Windage Adjustment

#### Clamp-on Front Sight With Elevation Adjustable Front Sight Post

- Fits Mossberg 12Ga. Shotgun and Clones Equipped with Front Sight Bead
- Designed to Match MNT-910 Sub-compact Rear Sight

Complete with 2 in 1 Sight Adjustment Tool







**CCESSORIES** 

**PARTS** 

# COMPONENTS



TL-ARCH01

#### Standard Charging Handle

- · Forged from Aircraft Aluminum Construction with a Matte Black Finish
- Compatible with Standard Mil-spec AR15 Upper Receivers



TL-CHL01

#### **Extended Charging Handle Latch**

- · Increased Surface Area for Faster Manipulation Under Stress
- · Heavy Duty Steel Construction with a Matte Black Finish
- Fits Standard AR15 Charging Handles



RB-T6BFH3

#### **AR15 H3 Recoil Buffer**

- · 3 Heavy Tungsten Weights
- · Potentially Increases Dwell Time. Eases
- · Total Weight 5.4 oz

Extraction, and Reduces Felt Recoil



#### TLT-TKSCH

#### **Ambi Charging Handle**

Designed to Have a Classic Look and Feel · Aircraft Aluminum Construction with a Matte

· Minimalist Inspired, Unobtrusive, and

· Ambidextrous Design

Black Finish



- · Optimized Geometry for Use While Wearing
- · Closes the Gap Found Between the Rear of the Trigger Guard and the Front of the Pistol Grip

# **Enlarged Trigger Guard**



**Quick Assemble Dust Cover** 

· Tool-free Design and Installation

RB-T6BFH2

#### **AR15 Carbine Recoil Buffer AR15 H2 Recoil Buffer**

- · 2 Heavy Tungsten Weights and 1 Steel Weigh · 3 Steel Weights · Total Weight 3.0 oz
- · Potentially Increases Dwell Time. Eases Extraction, and Reduces Felt Recoil
- · Total Weight 4.6 oz



#### **Adjustable Safety Selector**

- Changeable Between a 45 or 90 Degree Throw
- · Features Interchangeable and Different Length and Shape Safety Levers for a Tailored Fit and Function Specific to the User
- Ambidextrous Design

TLT-TKSDC

RB-T6BFHC

For Semi-automatic Fire Control Groups Only



· Angled and Enlarged Surfaces Facilitate Faster Reloads and Malfunction Clearing





#### TLT-TKSMR

#### **Ambi Mag Release**

- · Enlarged Surface Face For Easier Gloved Manipulation and Reach
- · Clearance Cut to Prevent Unintentional Interference with Bolt Catch



RB-T6BM-50

#### **Carbine Buffer Spring**

· Steel Construction



## Standard Delta Ring Assembly

- · Aircraft Aluminum and Steel Construction with a Matte Black Finish
- Compatible with Standard Mil-Spec AR15 Upper Receivers
- Includes Delta Ring, Weld Spring, and Snap



TL-T6TD03

#### **QD Receiver End Plate**

- Designed for Standard Mil-spec AR15 Lower Receiver
- · Accepts Any Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · Solid Steel Construction with a Matte Black Finish



RB-T6BM-30

## **Receiver End Plate**

- · Designed for Standard Mil-spec AR15 Lower Receiver
- · Solid Steel Construction with a Matte Black Finish





RB-TM4HBT

length AR15

#### Standard Steel Barrel Nut

Polymer Drop-in Handquard

· Quality Replacement Handguard for Carbine-

Rounded Shape with Dual Aluminum Heat Shields

- · Heavy Duty Steel Construction with a Matte Black Finish
- Compatible with Standard Mil-Spec AR15 Upper Receivers



**Castle Nut** 

- Designed for Standard Mil-spec AR15's
- · Solid Steel Construction with a Matte Black Finish





#### Standard A2 Front Sight Gas Block

- Design to Fit Pinned Barrel with a .750" Dia. at the Gas Port
- · Solid Steel Construction with a Matte Black Finish
- · Comes Complete with Standard Front Sight Post, Spring, Detent, and Sling Swivel





#### Micro Gas Block

- · Low Profile Size Fits Underneath Most Free Float Handguards
- · Precision Machined from Steel to Exacting Tolerances for Optimal Fit on .750" Diameter Barrels at the Gas Port
- Features a Durable and Corrosion Resistant Manganese Phosphate Finish
- · Compatible with Direct Impingement Gas Tubes
- Includes Gas Tube Roll Pin. Serrated Self-locking Set Screws, and Installation Tool





MTU012AG7

# **UTG PRO® Adjustable Micro Gas Block**

- · 12 Position Gas Port Adjustments
- · Low Profile, Fits Underneath Most Free Float Handguards
- · Precision Machined to Exacting Tolerances for .750" Diameter Barrels at the Gas Port
- · Features a Durable and Corrosion Resistant Manganese Phosphate Finish
- · Compatible with Direct Impingement Gas Tubes
- · Includes Gas Tube Roll Pin, Serrated Self-locking Set Screws, Adjustment Tool, and Installation Tool



TL-ARFH01

#### Standard A2 Flash Hider

- · Steel Construction with a Matte Black Hard Coat Manganese Phosphate Surface Treatment
  - 1/2"-28 UNEF Thread
  - · Includes Crush Washer





#### **UTG PRO® Stubby Muzzle Brake**

- · Steel Construction Finished in a Matte Black Manganese Phosphate Surface Treatment for Corrosion Resistance
- 1/2"-28 UNEF Thread Compatible, Crush Washer Included
- · 1.75" Length with Three Left and Right Sided Gas Dispersion Ports for Improved Recoil Reduction and Handling





# **UTG PRO® Muzzle Brake**

- Steel Construction Finished in a Matte Black Manganese Phosphate Surface Treatment for Corrosion Resistance
- 1/2"-28 UNEF Thread Compatible, Crush Washer Included
- 2.25" Length with Four Left and Right Sided Gas Dispersion Ports for Improved Recoil Reduction and Handling

RBT-AM30

Spine and Side Walls

· Simple to Remove Base Plate for Cleaning

· Aggressively Molded Grip Texture on the Forward and Rearward

· Windowed with Numbered Markings to Show Capacity Remaining

# **AR & AK/AKM POLYMER MAGAZINES**

# **AR PLATFORM ARMORER'S WRENCHES**



#### **AR15 30 Round Windowed Polymer Magazine AR15 10 Round Polymer Magazine**

- · Molded from Impact Resistant High Strength Reinforced Polymer · Molded from Impact Resistant High Strength · High Contrast Blue Anti-tilt and Self-lubricating Follower Reinforced Polymer
  - · High Contrast Blue Anti-tilt and Self-lubricating Follower
  - Aggressively Molded Grip Texture on the Forward and Rearward Spine and Side Walls
  - · Simple to Remove Base Plate for Cleaning


RBT-AM10



## **AK47 30 Round Windowed Polymer Magazine**

- · Molded from Impact Resistant High Strength Reinforced Polymer
- · Reinforced Front and Rear Locking Lugs for Increased Longevity
- · High Contrast Blue Anti-tilt and Self-lubricating Follower and Constant Internal Geometry for Reliable Feeding
- · Aggressively Molded Grip Texture on the Forward and Rearward Spine
- · Windowed with Numbered Markings to Show Capacity Remaining
- · Simple to Remove Base Plate for Cleaning















9. 3-prong Muzzle Device





10. Flat Head Screw Driver



Mini AR15 Armorer's Wrench

Buffer Tube Castle Nut, and More

Long Lasting Durability

· Provides the Tools to Install and Remove Parts Often Replaced and or Reinstalled on the AR15 Platforms

such as: Standard A2 Flash Hider, Delta Ring Barrel

Nut Assembly, Rifle Length Buffer Tube, Carbine

· Steel Construction with Wear Resistant Finish for





6. A2 Stock Extension Tube






# ANGLED FOREGRIPS, INDEX MOUNTS, & HANDSTOPS



# M-LOK®, Keymod, & Picatinny Angled Foregrips

- 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization, and Available for M-LOK®, Keymod, and Picatinny
- Weight Reduction Lightening Cuts, Ergonomic Contours, and Serrated Front, Bottom, and Rear Faces for Added Grip Retention
- Promotes Proper Support Hand Memory Placement and Retention





| Item # Black                            | MT-AFGP01  | MT-AFGM01                | MT-AFGK01                |
|---|------------|--------------------------|--------------------------|
| Туре                                    | PICATINNY  | M-LOK®                   | KEYMOD                   |
| Other Available Colors  AB=Blue  AR=Red | N/A<br>N/A | MT-AFGM01B<br>MT-AFGM01R | MT-AFGK01B<br>MT-AFGK01R |





# M-LOK® & Keymod Angled Index Mounts

- Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black
- · Provides an Additional Support Hand Indexing and Retention Point
- Reversible Design for Installation at the 3 or 9 O'clock Handguard Positions
- · Compatible with the Majority of Octago nal Handguards Thumb Indexing Deck Configurable for Forward or Rearward Cant
- Spacer Included for Adjusting Clearance with 12 O'clock Mounted Accessories and



Reversible Design for Installation at the 3 or 9 O'clock Handguard Positions





- 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization for M-LOK® or Keymod Modular Systems
- Weight Reduction Lightening Cuts, Ergonomic Contours, and Serrated Front, Bottom, and Rear Faces for Added Grip Retention
- Promotes Proper Support Hand Memory Placement and Retention

#### **Additional Colors Available**



| Item # Black                            | TL-HSM01               | TL-HSK01               |
|---|------------------------|------------------------|
| Туре                                    | M-LOK®                 | KEYMOD                 |
| Other Available Colors  AB=Blue  AR=Red | TL-HSM01B<br>TL-HSM01R | TL-HSK01B<br>TL-HSK01R |
|   |                        |                        |





Reversible Design is Customizable to the User's Specific Requirements



#### **Keymod Hand Stop/Barricade Rest Kit**

- 6061-T6 Aircraft Aluminum Construction with a Matte Black Finish
- Compatible with UTG PRO® Super Slim AR15/AK Keymod Handguards
- Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions
- Promotes Proper Support Hand Memory Placement and Retention



Mount as a Barricade Rest to Provide Stable Support for more Accurate Shooting




**Promotes Proper Support** Hand Memory Placement and Retention


# ALUMINUM VERTICAL FOREGRIPS

# POLYMER VERTICAL FOREGRIPS

#### **Super Slim Aluminum Vertical Foregrips**

- Precision CNC Machined from Aircraft Aluminum Finished in a Matte Black Anodization
- Removable Red and Blue Anodized Inserts for M-LOK® and Keymod Models Adds a Level of Personalization
- · Slim, lightweight, ergonomic, with dehorned corners and melted contours for a comfortable support hand grip





NEW MT-FGM01
NEW Keymod Foregrip
NEW Picatinny Foregrip

## **Aluminum QD Vertical Foregrips**

- · Precision Machined from Aircraft Aluminum with a Matte Black Finish
- · Quick Detachable Picatinny Lever Lock Mounting Base
- Posi-lock Cross Bolt and Spring Tensioned Locking Plate with Steel Insert for a Secure Installation

4.1" QD Foregrip

- Removable End Cap with Waterproof Storage within Foregrip



3.6" QD Foregrip

| Item # (Model)      | MT-FGM01 | MT-FGK01 | MT-FGP01 | MNT-GRP001Q         | MNT-GRP001SQ        | MNT-GRP003Q         |
|---------------------|----------|----------|----------|---------------------|---------------------|---------------------|
| Operation           |          |          |          | Fixed               |                     |                     |
| Width               | 1.5"     | 1.5"     | 1.5"     | 1.4"                | 1.4"                | 0.9"                |
| Saddle Height       | 3.45"    | 3.45"    | 3.44"    | 4.90"               | 3.90"               | 3.45"               |
| Weight              | 4.9oz    | 4.9oz    | 4.9oz    | 8.70oz              | 7.60oz              | 3.20oz              |
| Total Storage Space | N/A      | N/A      | N/A      | 2.70in <sup>3</sup> | 1.46in <sup>3</sup> | 0.90in <sup>3</sup> |

5" QD Foregrip

#### 4.7" QD Foldable Foregrip

| MNT-GRP002SQ        |
|---------------------|
| Foldable            |
| 1.4"                |
| 4.60"               |
| 9.70oz              |
| 1.04in <sup>3</sup> |
|                     |

#### BLACK RB-FGRP170B FLAT DARK EARTH RB-FGRP170D

#### **5 Position Foldable Foregrip**

- End Cap Provides Battery Storage and Mount Tension
- · Side Inserts Allow for Use of Pressure Switch
- Simple Slide-on Mounting Deck
- · Reinforced Locking Mechanism for Added Durability
- 5 Position Adjustable







Heavy Duty Full Metal Locking Built-in Battery Storage and Folding Mechanism Compartment




#### BLACK RB-FGRP168B

#### **Ambidextrous Vertical Foregrip**

- End Cap Provides Battery Storage and Mount
- · Side Inserts Allow for Use of Pressure Switch
- · Simple Slide-on Mounting Deck
- Ergonomic Finger Grooves and Nonslip Grip
- · Molded from Impact Resistant Polymer







Pressure Switch

Repeatable Grip

within Foregrip

Nonslip Textured Finger Grooves and Back Strap

**Ambidextrous Contured Foregrip** 

· Symmetrically Shaped Palm Swell with Nonslip

· Removable End Cap with Storage Compartment

· Contoured Finger Grooves for a Solid and

· Molded from Impact Resistant Polymer



Built-in Storage Compartment with Removable End Cap

| Item # (Model) | RB-FGRP170B RB-FGRP17 | 70D RB-FGRP168B | RB-FGRP172B |
|----------------|-----------------------|-----------------|-------------|
| Operation      | Foldable              |                 | Fixed       |
| Color          | Black                 | FDE Black       | Black       |
| Length         | 1.57"                 | 1.70"           | 2.25"       |
| Saddle Height  | 5.60"                 | 5.37"           | 4.50"       |
| Weight         | 6.90oz                | 6.80oz          | 6oz         |

--------

Low Profile Keymod Rail Panel Covers

• 5.5" in Length, Slim, Lightweight, and Securely Fits

Unique Aggressive Honeycomb Nonslip Textured Design Provides a Sure Grip Every Time

Compatible with Most Ambidextrous Safety Levers

Ergonomic Finger Grooves with Nonslip Textured Grip Serrations Provide a Solid and Repeatable Grip


Ergonomic Symmetrical Palm Swells Reduce Fatigue and Improve

Built-in Storage Compartment with Removable End Cap for Small Parts. Batteries, and or Other Accessories

**AMBIDEXTROUS** 

Compatible with

**Ambi Safeties** 



· Nonslip Textured Finger Grooves Provide a Solid and Repeatable Grip

Ergonomic Symmetrical Palm Swells Reduce Fatigue and Improve Handling

Built-in Storage Compartment with Removable End Cap for Small Parts, Batteries, and or Other Accessories


**RIGHT HAND** 



Into Standard Keymod Rail Slots

· Heat Resistant Polymer Construction

RB-HP25B (Set of 7)







US PAT. 9989328

Simple and Secure Slide and Snap-on Installation



#### RB-HP30M (Set of 4)

## Low Profile M-LOK® Rail Panel Covers

- · 3.15" in Length, Slim, lightweight, and Securely Installs via Two M-LOK® Screws and Nuts
- Unique Aggressive Nonslip Textured Design Provides a Sure Grip Every Time
- Molded from Durable Impact and Heat Resistant Polymer with a Rubberized Overmold for Added Grip Traction



Bidirectional to Accommodate Installation around Other

#### RB-HP27B (Set of 6) **Low Profile Picatinny Panel Covers**

· Molded from Durable Impact and Heat Resistant Polymer

2000000000

--------

- 2.7" in Length, Slim, Lightweight, and Securely Fits into Any Picatinny Rail
- · Unique Scalloped Design Provides a Comfortable Nonslip Gripping Surface While Protecting the Rail Underneath it
- 6 Panels Per Pack, Matte Black




2.7" in Length, Slim, Lightweight, Simple and Secure Snap-on and Securely Fits into Any Picatinny Rail



Installation with Posi-lock Stop Bar to Prevent Shifting



BLACK RB-HP12B-B OD GREEN RB-HP12G-B FLAT DARK EARTH RB-HP12D-B



#### Low Profile Picatinny Rubber Rail Guard (Set of 12)

- · Provides a More Comfortable Gripping Surface
- Easily Snaps onto Picatinny Rails Without Shifting due to Integral Stop Bar
- · Protects the User from Sharp Rail Edges While Protecting the Rail Itself



2" in Length, Slim, Lightweight, and Securely Fits into Any Picatinny Rail



Simple and Secure Snap-on Installation with Posi-lock Stop Bar to Prevent Shifting

**CCESSORIES AND PA** 

BLACK RBUPG02B

**Ambidextrous Contoured Pistol Grip** 

BLACK RBUPG01B FDE RBUPG01D

FDE RBUPG02D Ambidextrous Pistol Grip

**AMBIDEXTROUS** 

**Compatible with** 

**Ambi Safeties** 

BLACK RB-TPG172B FDE RB-TPG172D

**Combat Sniper Pistol Grip** 

BLACK RB-TPG269B OD GREEN RB-TPG269G **Ergonomic Pistol Grip** 

**RIGHT HAND** 

Mounted Accessories



Simple and Secure Installation

# **AK STOCK KITS & RECEIVER ADAPTOR**

# AK/SKS ACCESSORIES

## **UTG PRO® AK Mil-spec Collapsible Stock Kits**

RBU47KT01

With Gen I Standard

**Stock Height Adaptor** 

End Plate Castle Nut and Mil-spec Receiver Extension Tube (TLU001) Machined from Aircraft Aluminum with a Matte Black Finish



RBU47KT02

With Gen II Elevated

Stock Height Adaptor



# Requires UTG AK Stock Adaptor (TL-A68747-AD1) for Conversion, Compatible with Most 4/6 Position AR15 Stocks and Extension Tubes

With Gen III Adjustable

Adjustable Height up to 20mm (RBU47KT03)

Stock Height Adaptor

- Heavy Duty Steel Construction with a Matte Black Finish
- · Increased Flexibility



#### **AK/SKS Front Sight Tool**

- An Essential Tool for Making Fine Front Sight Post Windage and Elevation Adjustments
- · Compatible with AK, SKS, MAK, and SLR95 Pattern Rifles





**Elevation Adjustment** 



#### **AK Precision Machined Steel Side Plate**

- Fits Both Milled and Stamped Receivers and Accepts a Wide Variety of Side Optic Mounts
- · Permanent Gunsmithing Required






#### AK Dual Magazine Clamp

- · High Strength Spring Steel Construction with a Matte Black Finish
- Fits Classic 7.62X39mm Magazines





#### **AK/MAK Speed Loader**

- Magazine Loader Fits AK or MAK-90 Magazines
- Speed Loads Using 7.62x39mm Stripper Clips





RB-K7BTP01

#### **AK Butt Pad**

- Ergonomic Slip-on Design with Reinforced Outer Lip
- 1" LOP Extension





## **Ergonomic AK Pistol Grip**

- Heavy Duty Polymer Construction with Rubberized Overmold
- Ergonomic Trigger Finger Swell Aids in Consistent Placement of Trigger Finger When Firing
- Storage Compartment with Removable End Cap



**CESSORIES** 

# **QUICK DETACH SLING SWIVEL ADAPTORS & PLATES**

# QUICK DETACH SLING SWIVELS & SLING SWIVEL MOUNT



## **UTG PRO® M-LOK® QD Sling Swivel Adaptor**

- · Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or FDE CERAKOTE®
- · Lightweight, Low Profile Design Requires Minimal M-LOK® Rail Space while Retaining Optimum Mount Performance
- · Bidirectionally Mounts and Efficiently Utilizes Rail Real Estate by Mounting Either in One Slot or In-between Adjacent Slots on the Same Track
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37"
- Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling





## **UTG PRO® Keymod QD Sling Swivel Adaptor**

- Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization
- Accepts Any Standard Quick Detach Sling Swivel with 0.37"
- Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling





#### **Picatinny/Keymod QD Sling Swivel Adaptor** Innovative, Compact, and Lightweight Design Adaptable for

- Installation on Both Picatinny or Keymod Rails Accepts Any Standard Quick Detach Sling Swivel with 0.37"
- Diameter Swivel Stud
- Precision Machined from Aircraft Aluminum with a Matte Black Finish





#### **Keymod QD Sling Swivel Adaptor**

- · Compact, Lightweight, Super Low Profile Keymod Base
- Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter
- Precision Machined from Aircraft Aluminum with a Matte Black Finish





#### TL-SWPM01

#### Low Profile Angled QD Sling Swivel **Picatinny Adaptor**

- · Accepts Any Standard Quick Detach Sling Swivel with 0.37"
- · Precision Machined from Aircraft Aluminum with a Matte Black Finish
- · Low Profile and Lightweight Design with 45 Degree Offset
- Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling





#### **AR15 QD Receiver End Plate**

- · Compatible with Standard Mil-spec AR15 Lower Receiver
- · Solid Steel Construction with a Matte Black Finish
- Accepts Any Standard Quick Detach Sling Swivel with 0.37"
- Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Binding Against the Buffer Tube and Sling Tangling



Quarter Turn Rotational Over Travel Stops Restrict Swivel Movement and Prevent Sling Tangling



#### **AR15 Collapsible Stock Receiver End Plate**

- · Steel Construction with a Matte Black Finish
- · Left and Right Sling Loops Accommodate Most Strap and Hook Type Sling Applications
- · Compatible with both Mil-spec and Commercial-spec Receiver Extension Tubes





#### **Picatinny Sling Swivel Mount** with 1.25" Loop

- · Precision Machined Aircraft Aluminum and Steel Construction with a Matte Black Finish
- Solid Steel 1.25" Sling Loop Compatible with Most Slings on the Market



**Heavy Duty Push Button QD Sling Swivel** 

· High Strength Steel Construction with a Matte Black Finish







with 1.38" Loop





Item # (Model)

A-Loop Width

B-Loop Thickness

D-Stud Diameter

E-Stud Height

C- Push Button Diameter

0.18"

0.60"

0.64"

0.37"

0.35"

#### **Heavy Duty Push Button QD Sling Swivel** with 1.38" Loop for 4mm Deep Housings

High Strength Steel Construction with a Matte Black Finish

TL-QDSW28 TL-QDSW08A

0.13"

0.47"

0.37"

0.35"

0.47"

- · Extended Ball Bearing Distance for Optimal Fit with 4mm Deep Housings
- · Compatible with the Following UTG® and UTG PRO® Products: MTU001, MTU003, MTU007, MTU015, MTU018, MTU001T, MNT-BR005 MNT-BR101TR-A, MNT-BR002, MNT-BR005XL, and MNT-BR003XL



with 1.38" Loop





#### Standard Push Button QD Sling Swivel with 1.09" Loop

· High Strength Steel Construction with a Matte Black Finish



with 1.25" Loop

Standard Push Button QD Sling Swivel

· High Strength Steel Construction with a Matte Black Finish

· High Strength Steel Construction with a Matte Black Finish







TL-QDSW08B TL-QDSW08C

0.13"

0.47"

0.37"

0.35"

1.29"

0.13"

0.47"

0.37"

0.35"

#### Standard Push Button QD Sling Swivel with 1.29" C-Shape Loop

· High Strength Steel Construction with a Matte Black Finish

Precision Machined from 6061-T6 Aluminum

[Also Refer to P.148]



## M-LOK® Angled Foregrip

 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization

and Speeds Up Transitions [Also Refer to P.148]



MT-FGM01

## M-LOK® Super Slim Foregrip

 Aircraft Aluminum Finished in a Matte Black Anodization

Inserts Add a Level of Personalization [Also Refer to P.150]



## **UTG PRO® M-LOK® Picatinny Rail Sections**

• Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or FDE Cerakote® Finish

Continuous Rail Edge Design for Optimal Accessory Attachment

| Model # Black                | MTURS09S  | MTURS09M  |
|------------------------------|-----------|-----------|
| Slots                        | 4         | 8         |
| Other Available Colors D=FDE | MTURS09SD | MTURS09MD |






## TL-HSM01

#### M-LOK® Ultra Slim Hand Stop • 6061-T6 Aluminum Construction Available in

Matte Black, Blue, or Red Anodization Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions [Also Refer to P.149]





#### MEDIUM PROFILE TL-BPDM01 M-LOK® Recon Flex™ Binod

· Ergonomic Spring Loaded Slide Locking Ring for Quick and Effortless Bipod Deployment

· Lightweight Aircraft Aluminum Construction with a Matte Black Finish

· Fully Adjustable Legs with Precut Extendable Lengths and Flexible In-between Positions Lockable via Thumb Wheel [Also Refer to P.106]

# M-LOK® Offset Ring Mount

RG-FL27MC

· Removable Offset Mount Provides 1.60" Forward or Rearward Offset in addition to the Flashlight Ring's 1.12" Vertical or Downward Offset

 Complete with 2 Spacers to Accept 27mm, 25.4mm (1"), or 20mm Flashlight Tube Diameters [Also Refer to P.59]



RB-HP30M (Set of 4)

#### M-LOK® Rail Panel Covers

· 3.15" in Length, Slim, lightweight, and Securely Installs via Two M-LOK® Screws and Nuts

Unique Aggressive Nonslip Textured Design Provides a Sure Grip Every Time

Molded from Durable Impact and High Heat Resistant Polymer with a Rubberized Overmold for Added Grip Traction [Also Refer to P.153]



## **UTG PRO® M-LOK® QD Sling Swivel Adaptor**

· Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or FDE Cerakote® Finish

Lightweight, Low Profile Design Requires Minimal M-LOK® Rail Space while Retaining Optimum Mount Performance [Also Refer to P.156]






#### **Keymod Ultra Slim Hand Stop**

 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization

 Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions [Also Refer to P.149]



## **Keymod Hand Stop/Barricade Rest Kit**

· Promotes Proper Support Hand Memory Placement and Retention [Also Refer to P.149]



## **Keymod Angled Foregrip**

 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization

 Ergonomic Contour Improves Firearm Handing and Speeds Up Transitions [Also Refer to P.148]



#### TL-TRK01

## **Keymod Angled Index Mount**

 Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization

 Provides an Additional Support Hand Indexing and Retention Point [Also Refer to P.148]




#### **UTG PRO® Keymod Picatinny Rail Sections**

• Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or Cerakote® Finish

· Continuous Rail Edge Design for Optimal Accessory Attachment

| Model # Black  | MTURS04S   | MTURS04M   |
|--|--|--|
| Slots  | 4  | 8  |
| Other Available Colors D=FDE G=OD Green M=Gun Metal Z=Burnt Bronze | MTURS04SD<br>MTURS04SG<br>MTURS04SM<br>MTURS04SZ | MTURS04MD<br>MTURS04MG<br>MTURS04MM<br>MTURS04MZ |





#### **Keymod Super Slim Foregrip**

· Aircraft Aluminum Finished in a Matte Black Anodization

 Removable Red and Blue Anodized Inserts Add a Level of Personalization [Also Refer to P.148]







HIGH PROFILE TL-BPDK02 MEDIUM PROFILE TL-BPDK01

#### Keymod Recon Flex™ Bipod

· Ergonomic Spring Loaded Slide Locking Ring for Quick and Effortless Bipod Deployment

· Fully Adjustable Legs with Precut Extendable Lengths and Flexible In-between Positions Lockable via Thumb Wheel [Also Refer to P.106]



RB-HP25B (Set of 7)

#### **Low Profile Keymod Rail Panel Covers**

· Molded from Durable Impact Resistant Polymer

· 5.5" in Length, Slim, Lightweight, and Securely Fits into Standard Keymod Rail Slots [Also Refer to P.153]



TLUSW002

## **UTG PRO® Keymod QD Sling Swivel Adaptor**

Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or FDE Cerakote® Finish

Low Profile, Lightweight, and Compact Design

Bidirectionally Mounts to Most Keymod Mounting Platforms [Also Refer to P.156]



TL-SWKM01

## **Keymod QD Sling Swivel Adaptor**

· Precision Machined from Aircraft Aluminum with a Matte Black Finish [Also Refer to P.156]



RG-FL27KC

#### **Keymod Offset Low Profile Ring Mount**

· Removable Offset Mount Provides 1.60" Forward or Rearward Offset in addition to the Flashlight Ring's 1.12" Vertical or Downward Offset

 Complete with 2 Spacers to Accept 27mm, 25.4mm (1"), or 20mm Flashlight Tube Diameters [Also Refer to P.59]

ORIES

# BROKEN SHELL EXTRACTORS & OTHER ACCESSORIES

# **CLEANING KITS**



#### **Broken Shell Extractor**

- Removes Broken Shell Casings from a Jammed Chamber
- Threaded Two-piece Design to Adjust Overall Length, Compatible with Bolt Action and Semi-automatic Rifles
- · Precision Machined from Steel
- · Keep One with Your Shooting Gear, in Your Tool Kit, or Gun Case



#### TL-GLK01

#### California DOJ Approved Firearm Cable Lock

- · Certified by California Department of Justice
- Universal Design Compatible with Most Long Guns and Pistols
- Locking Cable is 0.21"(5.3mm) in Diameter and 15"(381mm) in Length
- Plastic Wrap Prevents Cable from Scratching Firearm Finishes



#### **Universal Shotgun Forend Wrench**

- · Nickel Plated Steel Construction
- · User Friendly with Ergonomic Handles for Easy Forend Removal and Installation
- Compatible with Remington® 870<sup>™</sup>, Mossberg® 500A/C, 835, and Other Clones





#### RB-CSF06

#### **Chamber Safety Flag**

- · Bright Orange for High Visibility and Reliable Confirmation of an Unloaded Firearm
- Molded from Impact Resistant Polymer with Reinforced Head for Maximum Durability
- Ideal for Cold Range Use and Mass Produced





#### **AR15 Receiver Wedge**

- · Snugly Fits Behind Rear Take Down Pin
- · Keeps the Upper Snug and Tight Against the Lower
- Prevents Upper and Lower Receiver Rattle





For AR15 Carbine



MNT-16AD1-C For AR15 Rifle

# **AR15 Blank Firing Adaptor**

- Precision Machined High Strength Steel Construction
- · Color Coated for Protection and Discernibility
- · Reinforced Frame Surpasses Military Standards
- · Ideal for Law Enforcement and Military Training
- · User Friendly Bolt Ring for Simple Installation and Removal



#### .223/5.56mm Cleaning Kit

TL-A041

- Includes a 5-piece Extension Steel Cleaning Rod with Adaptor, Patch Loop, Bronze Bore Brush, Chamber Brush, Double-Ended Nylon Utility Brush, ½ oz Oil Bottle, and Cleaning Patches
- All Parts Conveniently Store within the Included OD Green Nylon Pouch with Belt Loop and ALICE Clip Attachment Point and Featuring Two Hook-and-loop Closure Pockets and External Snap Button Flap



TL-CLP9MMKT **9mm Pistol Cleaning Kit** 

- Conveniently Stows Away in Any Range Bag in Its Compact Polymer Case (4.63"x2.88"x1.50")
- Kit Includes an 8-32 Threaded Copper Alloy Cleaning Rod with the Following Threaded Cleaning Accessories: Patch Loop, Bronze and Nylon Brush, and a Cotton Mop

Cleaning Rod

Patch Loop

Bronze Bore Brush

Nylon Bore Brush

Cotton Mop Brush



#### **Universal Firearm Cleaning Mat**

- 14.75"x52" Universal Firearm Cleaning Mat with Nonslip Rubberized Backing
- 4" Wide Side Pocket with Zipper Closure for Cleaning Tools and Small Parts
- · Durable Solvent and Chemical Resistant Material for Long Lasting Performance [Also Refer to P.191]

