




## INTRODUCTION

Leapers UTG® started in 1992 with a single compact 4X28 scope, which was followed in the next 27 years by a growing selection of innovative optics. Our commitment to offering practical, and innovative optics drives us even further into other shooting sport disciplines to persistently develop optical solutions featuring the most sought after features. The optics we design, refine, and manufacture meet the ultimate goal of satisfying our customer base and their specific application needs. We build all our optics on our proven True Strength® Platform known for its reinforced structure and components capable of withstanding some of the heaviest recoil while upholding a reliable and repeatable zero hold shot to shot. Equipped with advanced optical design software, strike testing simulation, and precision CNC technology, these crucial investments, allow our experienced staff to further achieve breakthrough progress in the quality and performance of our optics. For 2019, Leapers UTG® is proud to debut and introduce our new premium level ACCUSHOT® OP3 series of optics. Featuring our new internally reinforced and finely lockable windage and elevation turrets, locking eyepiece diopter, and high contrast multi-coated lenses for enhanced light transmission and high definition viewfinder clarity.

**LEAPERS, INC.**  
**THE BEST NEVER REST**  
**LIFETIME WARRANTY**

## ABSOLUTE COMMITMENT TO CLARITY, PRECISION, AND QUALITY



State of the Art Quality Control



Total Commitment to Precision




Extreme Environment Testing



Rigorous Quality Control



Dust Free Environment Assembly



Relentless Durability Testing

### NEW AND MUST HAVE PRODUCTS FOR 2019

3-12X44 ACCUSHOT® OP3 Scope

**NEW**



4-16X44 ACCUSHOT® OP3 Scope

**NEW**



3-12X32 Side AD BUGBUSTER® Scope



2.5" Mini Red Single Dot Sight

**NEW**



Reflex Micro Dot



**UTG OPTICS**  
 PRACTICAL INNOVATION. EXCEPTIONAL VALUE.


# INTEGRATED MANUFACTURING

## FROM CONCEPT TO DELIVERY

Under our own disciplined management, Leapers UTG® is one of the few companies in the industry with a full range of vertically integrated operations to support product development, manufacturing, distribution, and service. Customers can always count on our optics to offer the best quality, value, and reliability.




### IN-HOUSE ENGINEERING



CONCEPT SKETCHING




CAD MODELING



FDM RAPID PROTOTYPING FOR FUNCTION VERIFICATION

### QUALITY CONTROL



STRINGENT LENS CERTIFICATION



CLEAN ROOM ENTRY



FINAL ASSEMBLY QC INSPECTION

### MANUFACTURING



STATE-OF-THE-ART CNC MACHINES



DUST FREE ASSEMBLY



DISCIPLINED ASSEMBLY PROCEDURE

# STRINGENT TESTING

Leapers UTG® spends tremendous effort and investment on product testing. We make sure every scope model gets certified by the Leapers testing team based on our comprehensive testing checklists and procedures. We perform our testing based on actual user input. We gather feedback, carefully analyze their impact and develop appropriate test parameters to ensure optimal performance under all conditions. Our testing includes in-house components and system level validations using state-of-the-art equipment, as well as actual field testing.

## The Elite Product Testing Team is Made of Veterans, Engineers, LE Officers and Firearm/Air Rifle Experts

### BIG GAME HUNTING

**Ryan Brown** is a diehard outdoorsman who started his own production company back in 2009 called TKZ Outdoors - The Kill Zone. His constant pursuit of big game animals has put our products to the test. Ryan comes from a long family history of passionate outdoorsmen. Having hunted the most sought after game in North America all over the state of Michigan, every shot counts when he relies on UTG® to put the food on his table.



### LAW ENFORCEMENT

**John Kapusta** brings with him over 3 decades of firearm industry experience. He has worked with major law enforcement agencies around the country, and trained with elite operators such as the FBI, SEALs, and Springfield SWAT team. As Leapers UTG®'s in-house firearm expert, he personally puts our products through stringent testing on some of the most punishing rifles and shotguns to constantly raise our product's quality and durability.



### COMPETITION

**Ming** is a multi-division Master Class competitor in IDPA, USPSA, and other practical shooting disciplines. His 2018 season accomplishments include winning division champion at the USPSA Michigan Sectional, IDPA Michigan State, Great Lakes Regional, and Indiana State matches, and more. Ming's advanced skill set in practical shooting combined with his industry experience is invaluable and instrumental to our product development across the board.



### HIGH PERFORMANCE AIRGUN

**Tom Gaylord** has been evaluating and writing about air rifles and accessories for over 20 years. His articles appear regularly in all major magazines. Tom has been a mentor, providing our PD Team with very insightful lessons and development suggestions since 1999. He is shown here testing a Leapers 3-9x40 Full Size TS Scope on a Webley Patriot that generates as much as 30 ft-lb of force when shooting even the heaviest of pellets.



# INNOVATIVE TS PLATFORM


27 YEARS OF EXPERTISE

### HISTORY, DEVELOPMENT, & TECHNOLOGY

TS, as in True Strength®, is the signature scope construction platform of Leapers UTG® optics. As the name suggests, no matter if it's a full size or compact scope, magnifier or dot sight, we aim to achieve the highest dependability starting at the heart of our scopes' structure. The research and development of this innovative structure was initiated in 2001 and in 2002 the first TS Platform scope was put into mass production. With our continuous testing, verification, and multiple rounds of improvement, we started promoting and selling TS optics on a global scale in 2005. Today, all our optics are built on the tough TS Platform to include a one-piece integral aluminum main tube, meticulously placed reinforcements at key structural points, and nitrogen purging to achieve optimal rainproof, fogproof, and shockproof performance even in the most challenging of scenarios. This superior TS Platform has even been adopted into the lineup of UTG® laser products, giving them precise and secure adjustment.


### SMART SPHERICAL STRUCTURE

The Smart Spherical Structure is one of the most significant characteristics of the TS Platform. The erector tube is constrained via a ball and socket structural relationship, which provides the desirable flexibility to respond to windage and elevation adjustments and the optimal ability to hold zero under heavy recoil.



### TRUE STRENGTH® PLATFORM

- Reduces and Absorbs Recoil, Alleviating Potential Loss of Zero.
- Fully Tested on Both Air Rifles and Firearms
- TS Technology Implemented in Every Leapers Scope




# 36 COLOR IE® ILLUMINATION

ILLUMINATION ENHANCING TECHNOLOGY

### IE® TECHNOLOGY/EZ-TAP® SCOPES

- Low Profile Illumination Control Housing with Reinforced Circuitry Prevents Intermittent Reticle Illumination Even Under the Heaviest of Recoil
- Red & Green Dual-color and 36 Multi-color Modes to Accommodate All Weather & Light Conditions
- 1-click Illumination Memory Returns the User to the Last Color & Brightness Setting Used
- Green Low Power Consumption Technology with Automatic 1 Hour Shut-off




### ADVANCED RECOIL PROOF SYSTEM

- The Most Advanced and User-friendly Windage and Elevation Adjustment System with Innovative Design, Precision Components, and Disciplined Assembly
- UTG®'s Leaf Spring System is Made from a Special Heat Treated Beryllium Bronze Alloy to Maintain Reliable and Consistent Long Term Tension
- ACCUSHOT® Models Equipped with a Rugged Coil Erector Return Spring System For Improved Zero Hold Under Heavy Recoil and Greater Windage/Elevation Adjustment Range




## RETICLE OPTIONS




**BG4**

The BG4 Reticle is designed to be fast and intuitive to use and features ballistic drop compensation and rangefinder markings out to 600 yards. The ballistic data is based on common 5.56/.223 loadings in modern sporting rifles. The three thick posts draw the eye to the center for rapid acquisition at close range, while the drop compensation allows for rapid engagement of targets throughout the platform's effective range.




**BUBBLE LEVELER MIL-DOT**

The Bubble Level reticle combines our popular glass-etched Mil-dot with a precision built-in bubble leveling system. The internal bubble leveler is located at the bottom of the reticle. It is a great tool for precision scope installation and crosshair alignment to ensure accurate holdovers at any range.




**ETCHED MIL-DOT**

The Mil-dot reticle is the most widely used reticle in our rifle scopes, which provides range estimating capability. The crosshair has dots and dashes spread equally along the X and Y axis. The distance between two adjacent marks subtends to 1 milli-radian. The etched-glass reticle offers our discerning users the sharpest Mil-dot reticle for precise range estimation.




**ETCHED UMOA**

The UMOA reticle features hash marks at minute of angle increments for precise range estimation and bullet drop and wind drift compensation. This reticle is the best choice for long-range precision shooters who want clear adjustments and to rapidly calculate holds. The reticle's center crosshair can be illuminated to assist aiming under different light conditions.




**ETCHED G4 DOT**

The G4 Dot reticle is our take on the classic German #4 design. Thick bars at the 3, 6, and 9 O'clock positions help the eye quickly locate the center of the reticle, yet allowing a less obstructed view. The fine horizontal and vertical lines along with a 0.5 MOA center dot provide the ability for precise aiming whenever needed. The reticle's center dot can be illuminated to assist aiming under different light conditions.




**WIRE MIL-DOT**

The Mil-dot reticle is the most widely used reticle in our rifle scopes, which provides range estimating capability. The crosshair has multiple dots spread equally along the X and Y axis. The distance between two adjacent marks subtends to 1 milli-radian. The traditional wire reticle is robust and holds up against strong recoil and offers a clear aiming reference without compromise.




**WIRE PRO 5-STEP**

The Pro 5-step reticle is designed for crossbows. The reticle consists of five horizontal lines and a vertical line, with a thin center crosshair. The horizontal lines are for aiming at 10, 20, 30, 40, and 50 yard distances, calibrated for 300fps crossbows.




**WIRE PDC**

The Projectile Drop Compensation (PDC) reticle uses different bars and circles arranged at designated heights to aid in range estimation and serve as aiming points set at predetermined distances. This enables easy and rapid target engagement at multiple ranges.




**PRECISION T-DOT**

The T-Dot reticle is ideally used for fast center mass and T-zone aiming applications where getting shots on target quickly is the priority. The reticle consists of a single dot in the center as the aiming point with three floating posts arranged at the 3, 6, and 9 O'clock positions. The posts are very quickly picked up by the eye, framing your target, while the single dot provides precision aiming.



**CIRCLE DOT**

The Circle Dot reticle includes a floating circle and a dot in the center, which is ideal for shotguns, as well as, tactical applications requiring quick target acquisition. This reticle is found etched into the glass of our magnified scopes and projected in the case of our dot sights.



**ILLUMINATED SINGLE DOT**

The Single Dot reticle consists of a single floating dot in the center of the lens with the least visual distraction. This allows for both eyes open aiming, giving the shooter the best situational awareness and cleanest sight picture.

**TS**

### TRUE STRENGTH® (TS) PLATFORM

TS symbolizes the elite quality of Leapers optics. It represents the most robust optical structure designed and made by Leapers UTG®. TS guarantees precise and responsive adjustments, tough recoil resistance, fogproof, rainproof, and shockproof properties. Also refer to P.015.



### IE® 36 COLOR ILLUMINATION

U.S. PAT. 84377079, EU PAT. EP2520894. Most innovative, low profile illumination control with special circuitry and housing design for uninterrupted illumination even under heavy recoil.

**RGB**

### RED/GREEN/BLACK ILLUMINATION

Selectable red/green illumination with standard black non-illuminated reticle.

**RG**

### RED/GREEN ILLUMINATION

Selectable red/green illumination



### BROADBAND MULTI-COATING

With our special broadband multi-coating, light transmission through the lens is enhanced for the complete spectrum of the visible light band. The light transmission rate of the individual lens is over 95% to provide a bright and crisp image during both daylight and low light conditions.



### 30MM 1-PIECE MAIN TUBE

The scope main tube is machined from 1-piece high strength Aircraft Grade aluminum. Compared to other sectional tubes, a 1-piece integral main tube guarantees long term strength and performance integrity. A 30mm tube provides wider windage and elevation adjustment, better light transmission, and larger field of view.



### 1 INCH 1-PIECE MAIN TUBE

The scope main tube is machined from 1-piece high strength aircraft grade aluminum. Compared to other sectional tubes, a 1-piece integral main tube guarantees performance integrity and accuracy. A 1 inch tube along with a well designed optical system can provide a bright and crisp image while being lightweight.



### RINGS & LENS CAPS

Picatinny or .22 Dovetail rings and flip-open lens caps are included.



### FLIP-OPEN LENS CAPS

No more traditional, clumsy lens covers. The flip-open design allows you to open and close the caps quickly and conveniently.



### SUNSHADE INCLUDED

Prevent glare and stray light from directly hitting your objective lens by adding this sunshade. Minimizing the stray light by shading it helps your eyes take advantage of the light that comes from the target.



### TACTEDGE® ANGLED INTEGRAL SUNSHADE

Angled objective tube with integral sunshade shields the objective lens from sunlight or other ambient light for better image contrast and clarity.



### DOUBLE LOCK TURRETS

User friendly turrets for windage/elevation adjustment with a proprietary dual-screw zero locking design to guarantee zero retention.



### TWIST LOCK MOUNTING BASE

Twist Lock for tool free quick installation and removal.



### QD LEVER LOCK

Quick Detach Lever Lock for tool free quick installation and removal.

**3yds**

### ADJUSTABLE OBJECTIVE FROM 3YDS UP

Signature feature of the Bug Buster® series especially loved by airgunners, allowing clear focus of close-range targets.



### PRISMATIC REFRACTION

Sophisticated prism-based design allows for a compact optical system without sacrificing optical quality.



### SWAT PARALLAX CONTROL

Side Wheel Adjustable Turret (SWAT) adjusts the parallax from close in distance to infinity. Designed for single revolution quick target distance adjustment to achieve a parallax-free image. The turret has engraved distance markings and are compatible with UTG® Big Wheels. Refer to P.047.



### FRONT ADJUSTABLE OBJECTIVE

Front Adjustable Objective Ring adjusts parallax from close range to infinity.



### ZERO L/R TURRETS

Zero Locking/Resetting Target Turrets are designed with a rotational locking ring. Unlocking the ring allows for precise windage and elevation adjustment. Loosening the turret hex screw will allow for zero resetting.



### WINDAGE/ELEVATION LOCKABLE

Windage/Elevation adjustment can be locked for effective zero retention.



### UNLIMITED EYE RELIEF

If you see the dot, you can hit your target regardless of eye relief distance.



### EXTENDED EYE RELIEF

Eye relief tailored towards firearms which require optics replaced farther forward on the receiver.



### IPX7 WATERPROOF

Able to withstand immersion in water up to 1 meter for up to 30 minutes.



### PATENTED

Product or included accessories are patented.



	ACCUSHOT® OP3 SERIES	ACCUSHOT® PREMIUM SERIES	ACCUSHOT® PRECISION SERIES	ACCUSHOT® SCOUTING SERIES	T8 TACTICAL SERIES	T4 TACTICAL SERIES	ACCUSHOT® TACTICAL SERIES	BUGBUSTER® SERIES	TRUE HUNTER™ IE SERIES	TRUE HUNTER™ CLASSIC SERIES	REFLEX SIGHTS & MAGNIFIER	UTG® DOT SIGHTS	AIR RIFLE SCOPE SERIES	CROSSBOW & HANDGUN SCOPE SERIES
<b>PAGE RANGE</b>	<b>P.020-021</b> 3-12x44 MOA...OP3-GM3124UMOA 4-16x44 MOA...OP3-GM4164UMOA 3-12x44 Mil-dot...OP3-M3124AOIEW 4-16x44 Mil-dot...OP3-M4164AOIEW	<b>P.022-023</b> 4-16x56...SCP3-UG4165AOIEWB (Bubble Leveler) 8-32x56...SCP3-UG832AOIEW (Mil-dot) 6-24x56...SCP3-UG6245AOIEW (Mil-dot) 4-16x56...SCP3-UG4165AOIEW (Mil-dot) 8-32x56 G4...SCP3-UG832G4 (G4) 4-16x56 G4...SCP3-UG4165G4 (G4)	<b>P.024-025</b> 4-16x44...SCP3-U416AOIEW (Mil-dot) 3-12x44...SCP3-UG312AOIEW (Mil-dot) 3-12x44...SCP3-U312AOIEW (Mil-dot)	<b>P.026-027</b> 1-4x28 Mil-dot...SCP3-14UEMDQ 1-4x28 Circle Dot...SCP3-14UEODQ 2-7x44 Mil-dot...SCP3-274LAOIEW 1-8x28...SCP3-18IEMDQ (Mil-dot for CQB/MRC) 1-8x28...SCP3-18IECDQ (Circle Dot for CQB/MRC) 2-16x44...SCP3-216AOIEW (Mil-dot) 2-16x44...SCP3-216UMOA (MOA) 2-16x44...SCP3-216G4 (G4)	<b>P.028-029</b> 1-8x28...SCP3-18IEBG4 (G4) 1-8x28...SCP3-18IEMDQ (Mil-dot for CQB/MRC) 1-8x28...SCP3-18IECDQ (Circle Dot for CQB/MRC) 2-16x44...SCP3-216AOIEW (Mil-dot) 2-16x44...SCP3-216UMOA (MOA) 2-16x44...SCP3-216G4 (G4)	<b>P.030-031</b> 4x32 Mil-dot...SCP-T4IEMDQ 4x32 Circle-dot...SCP-T4IEODQ 4x32 T-dot...SCP-T4IETDQ	<b>P.032-033</b> 1-4.5x28 Circle Dot...SCP3-145IECDQ 1-4.5x28 Mil-dot...SCP3-145IEMDQ 1.5-6x44 Wire...SCP3-U156IEW 1.5-6x44 Glass...SCP3-UG156IEW 3-12x44 Wire...SCP3-UM312AOIEW 3-12x44 Glass...SCP3-UGM312AOIEW 4-16x44 Wire...SCP3-UM416AOIEW 4-16x44 Glass...SCP3-UGM416AOIEW 10x44 Glass...SCP3-UGM104AOIEW	<b>P.034-035</b> 3-12x32...SCP-M312AOWQ (Mil-dot with Picatinny Rings) 3-12x32...SCP-M312AOD (Mil-dot with Dovetail Rings) 3-9x32...SCP-M392AOD (Mil-dot with Dovetail Rings) 3-9x32...SCP-M392AOLWQ (Mil-dot with Picatinny Rings) 4x32...SCP-M432IEWQ (Mil-dot with Picatinny Rings)	<b>P.036-037</b> 3-9x40 Mil-dot...SCP-U394AOIEW (Mil-dot with Picatinny Rings) 3-9x40 Mil-dot...SCP-U394AOIED 3-9x50 Mil-dot...SCP-U395AOIEW 3-12x40 Mil-dot...SCP-U312AOIEW 4-16x40 Mil-dot...SCP-U4164AOIEW 4-16x50 Mil-dot...SCP-U4165AOIEW 6-24x50 Mil-dot...SCP-U6245AOIEW	<b>P.038-039</b> 3-9x32 AO TF2+...SCP-U392AODT2 3-9x32 Air Rifle...SCP-U392RFD 3-9x40 TF2+...SCP-U394FDT2 3-9x40 TF2+...SCP-U394FWT2 4x32 AO...SCP-U432AOWT2 4x32 Full Size...SCP-U432FD 4x32 Full Size...SCP-U432FW 4x32 Mini...SCP-U432M1	<b>P.040-041</b> 3.9" Circle Dot...SCP-RDM39CDQ 3.9" Single Dot...SCP-RDM39SDQ 2" Red Dot...SCP-RDM20R 2" Green Dot...SCP-RDM20G 3x Magnifier...SCP-MF3WEQS	<b>P.042-043</b> 2.5" Tactical Single Dot...OP-DS2521R 6" Tactical Single Dot...SCP-TDSDQ 6" Tactical T-dot...SCP-TDSTDQ 6.4" Target Dot...SCP-DS3068W 6.4" Tactical T-dot...SCP-DS3068TDQ 4.2" Target Dot...SCP-DS3840W 4.2" Tactical T-dot...SCP-DS3840TDQ 2.6" Target Dot...SCP-DS3026W 3.9" Target Dot...SCP-DS3039W 3.8" Target Dot...SCP-RD40RGW-A 3.8" Circle Dot...SCP-RG40GDQ 3.8" Target Dot...SCP-RG40SDQ	<b>P.044-045</b> 2-16x44...SCP3-216UMOA 3-9x32...SCP-M392AODQ 3-9x32 AO TF2+...SCP-U392AODT2 3-9x40...SCP-U394AOIED 3-12x32...SCP-M312AODQ 3-12x44...SCP3-UG312AOIEW 4x32 Full Size...SCP-U432FD 4-16x40...SCP-U4164AOIEN 4-16x56...SCP3-UG4165AOIEWB 4-16x56...SCP3-UG4165AOIEW 6-24x56...SCP3-UG6245AOIEW	<b>P.046</b> 4x32 Crossbow...SCP-M4CR5WQ 2-7x32 Handgun...SCP-27PRGW
<b>HIGHLIGHTS</b>	A new line of premium optics featuring improvements in resolution through optimized internal light transmission pathway, crisp and tactile turret movement with exacting increments and consistent per click adjustment, and updated IPX7 waterproof rating. Additional features include a set-once locking eyepiece diopter and wider surface turret heads for ease of making adjustments with or without gloves. Available in either 3-12x or 4-16x with mil-dot or UMOA reticle.	High magnification power up to 32X, 30mm 1-piece main tube, etched glass reticle, IE® full color illumination and advanced broadband multi-coated lenses providing the best image quality, wide field of view, precise zeroing and reliable zero holding.	Optimal mid-range magnification power up to 16X, 30mm 1-piece main tube, etched glass or wire reticle, IE® full color illumination and advanced broadband multi-coated lenses providing the best image quality, wide field of view, precise zeroing and reliable zero holding.	Incredible extended eye relief, 30mm main tube, IE® full color illuminated etched glass reticle, wide field of view and multi-coated lenses. Rugged structure, optimal eye relief and amazing wide angle field of view ensuring a great shooting experience for any handguns/scout applications.	Lightweight, close to medium range optics ideal for MSRs and featuring several reticle models to choose from including our new BG4 Ballistic drop compensating and range finding etched-glass reticle calibrated for the .223/5.56 cartridges. An optimized eye relief and field of view, for its size makes, the T8 Tactical series a formidable option for AR platform rifles and more.	Versatile 4X32 fixed power magnification in a compact package made possible through prismatic refraction technology, ideally suited as a general purpose magnified optic for the AR platform and other MSRs.	A series of low and medium power magnification optics ideal for a variety of different long gun applications and featuring compact main tubes and both wire and etched-glass reticle models.	Compact and lightweight mil-dot wire reticle scopes with 3 yards to infinity parallax adjustment range for majority of models. Illuminated and non-illuminated models available along with models reaching as high as 12X magnification.	Featuring 1-inch full-size main tube, front adjustable objective from 5 yards to infinity, convenient zero locking /resetting W/E turrets, IE® full color illuminated Mil-dot reticle, variable power, broadband multi-lens coating, and adjustable eyepiece. All fully tested and certified by the strictest industry standards.	Featuring our TF2+ windage and elevation turrets, simply pull up to make your adjustments and push down to lock them in. A high value, budget-minded, and straight-forward series of mil-dot wire reticle optics with fixed power and variable power magnification models available.	Reflex micro dots available with either red or green 4 MOA single dot reticles. Equipped with an adaptive base, these versatile micro dots are an extremely low profile and lightweight optic suitable for pistols, shotguns, pistol caliber carbines, and MSRs. Compatible with most Optics-ready pistols in the market. Absolute co-witness, 45 degree, and rear sight dovetail mounts available through UTG®.	Series of 1X magnification dot sights available in single dot, circle dot, or T-dot reticles. Dual red and green illumination standard on most models. A plethora of different mounting solutions from QD, fixed, to offset and height adjustable.	Excellent choice for air rifle applications.	Based off the TS Platform, our amazingly unique crossbow/handgun optics are specifically equipped with a parallax preset ideally for the effective range of most crossbows and handguns. They are featured with either reticle for crossbow or PRD 4-step Projectile Drop Compensation (PDC) reticle for quick aiming at different yardage.
<b>APPLICATIONS</b>	Bolt Action Rifles, DMRs, MSRs, SPRs	Extended Long Range Precision Bolt Action and Semi-automatic Rifles	Bolt Action Rifles, DMRs, MSRs, SPRs	Scout Style and Lever Action Rifles	AR15& AR308 platform, Bullpups, MSRs, DMRs, SPRs	AR platform and other MSRs	Bolt Action Rifles, DMRs, MSRs, SPRs	AR Platform and Other MSRs, Bullpups, .22 Rifles, Bolt Action Rifles	Extended Long Range Precision Bolt Action and Semi-automatic Rifles	Centerfire and Rimfire Bolt Action Rifles, Air Rifles	Pistols, Shotguns, MSRs, Rimfire Rifles and Pistols, as Backup to a Primary Magnified Optic, Optics-ready Pistols, Pistol Caliber Carbines, AR Pistols	MSRs, Pistol Caliber Carbines, Shotguns, Rimfire Rifles and Pistols	Air Rifles	Crossbows & Pistols
<b>SUGGESTED USES:</b>	Precision Target Shooting, Bench Rest Shooting, Medium to Long Range Precision Shooting, Hunting, Recreational	Precision Target Shooting, Bench Rest Shooting, Long Range Precision Shooting, Recreational	Precision Target Shooting, Bench Rest Shooting, Medium to Long Range Precision Shooting, Hunting, Recreational	Close to Medium Range Precision Shooting, Hunting, Ranch Rifle, Backpacking Rifle, Recreational	Multi-range Precision Shooting, 3-Gun Competition, Home and Personal Defense, Hunting, Recreational, Defense and Law Enforcement Agencies	Multi-range Precision Shooting, Home and Personal Defense, Recreational, Defense and Law Enforcement Agencies	Multi-range Precision Shooting, Home and Personal Defense, Hunting, Recreational, Defense and Law Enforcement Agencies	General Purpose, Home and Personal Defense, Hunting, Recreational, Plinking	Precision Target Shooting, Bench Rest Shooting, Long Range Precision Shooting, Recreational	Close to Medium Range Precision Shooting, Hunting, Plinking, Budget Builds, Youth Builds, Recreational	Close to Medium Range Shooting, Steel Shooting, Plinking, Carry, Shooting Sport and Competition, Custom Builds, Recreational	Close to Medium Range Shooting, Steel Shooting, Plinking, Shooting Sport and Competition, Custom Builds, Recreational	Air Rifles, etc.	Hunting, Recreational
<b>PARALLAX ADJUSTMENT</b>	Side Wheel 10Yds to Infinity	Side Wheel 10Yds to Infinity	Side Wheel 10Yds to Infinity	Preset at 100Yds / Side Wheel 10Yds to Infinity	Side Wheel 10Yds to Infinity/Preset at 100 or 35Yds	Preset at 100Yds	Side Wheel 10Yds to Infinity Preset at 100Yds	Front/Side AO 3Yds to Infinity	Front AO 5Yds or 10Yds to Infinity	Front AO 5Yds to Infinity Preset at 35Yds or 100Yds	N/A	N/A	Please Refer to Related Subcategories	Preset at 50Yds or 35Yds
<b>ILLUMINATION</b>	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control	IE® 36-color with EZ-TAP® Control/RGB Side Wheel/No Illumination	IE® 36-color with EZ-TAP® Control	No Illumination	Red/Green for Reflex Sight Only	Red/Green	Please Refer to Related Subcategories	RGB Side Wheel
<b>INCLUDED SCOPE RINGS</b>	MS Twist Lock Rings Included	MS Twist Lock Rings Included	MS Twist Lock Rings Included	MS Lever Lock Rings Included	MS Lever Lock Rings Included	Integral Bidirectional Mounting Deck	Includes MS Lever Lock QD Rings or Twist Lock Rings	MS Lever Lock QD Rings Included	MS Twist Lock Rings Included for Selected Models (SCP-U4164AOIEW - RGWM-25H4)	Picatinny Rings or Air Rifle Rings Included	Picatinny Base Included	QD Lever Lock/Ring Base or Picatinny Base Included	Please Refer to Related Subcategories	MS/ACCUSHOT® Lever Lock /Twist Lock QD Rings Included





# ACCUSHOT® OP3 SERIES

FOLLOW THROUGH AT ALL DISTANCES

Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30MM 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- SUNSHADE INCLUDED
- SWAT PARALLAX CONTROL
- IPX7 WATERPROOF

**PARTS INCLUDED**



**COMPATIBLE ITEMS**



Reinforced Zero Locking/Resetting Target Turrets

Crisp, Tactile Feedback

Improved Circuitry Prevents Intermittent Illumination and Features Lower Power Consumption

Locking Eyepiece Diopter

Wider Turret Face for Use with Gloves

Threaded for Included Sunshade

High Contrast Multi-coated Lenses for Optimal Light Transmission and High Definition Viewfinder Clarity

**NEW**

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

**3-12X44**

30MM OP3-GM3124UMOA

ACCUSHOT® OP3 30mm 3-12x44 Compact Etched UMOA Reticle Scope

Side Wheel Adjustable Turret (SWAT) Adjusts Parallax from 10 Yards to Infinity



Improved Resolution through Optimization of Internal Light Transmission Pathway and Lens Quality



Crisp and Tactile Turret Movement with Consistent Per Click Adjustment



IPX7 Waterproof Rated



Set Once Locking Eye Piece Diopter



**NEW**

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

**4-16X44**

30MM OP3-GM4164UMOA

ACCUSHOT® OP3 30mm 4-16x44 Compact UMOA Reticle Scope

**NEW**

**WIRE RETICLE**

10 YDS TO INFINITY

**3-12X44**

30MM OP3-M3124AOIEW

ACCUSHOT® OP3 30mm 3-12x44 Compact Mil-dot Reticle Scope

**NEW**

**WIRE RETICLE**

10 YDS TO INFINITY

**4-16X44**

30MM OP3-M4164AOIEW

ACCUSHOT® OP 30mm 4-16x44 Compact Mil-dot Reticle Scope

Model #	OP3-GM3124UMOA	OP3-GM4164UMOA	OP3-M3124AOIEW	OP3-M4164AOIEW
Magnification	3x-12x	4x-16x	3x-12x	4x-16x
Tube Diameter	30mm	30mm	30mm	30mm
Objective Diameter	44mm	44mm	44mm	44mm
Field of View @100 Yards	32.0' - 10.0'	26.2' - 8.0'	32.0' - 10.0'	26.2' - 8.0'
Eye Relief	3.70" - 3.23"	3.70" - 3.23"	3.70" - 3.23"	3.70" - 3.23"
Exit Pupil	13.0 - 3.9mm	11 - 3mm	13.0 - 3.9mm	11 - 3mm
Click Value @100 Yards	1/4"	1/4"	1/4"	1/4"
Length	10.1"	10.7"	10.1"	10.7"
Weight	21oz	21.5oz	21oz	21.5oz
Parallax Setting	10Yds to Infinity	10Yds to Infinity	10Yds to Infinity	10Yds to Infinity
Rings	RG2W3154 (P055)	RG2W3154 (P055)	RG2W3154 (P055)	RG2W3154 (P055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V




# ACCUSHOT® PREMIUM SERIES

## BIG GAME HUNTING & LONG RANGE COMPETITION


Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30MM 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- ANGLED INTEGRAL SUNSHADE
- SWAT PARALLAX CONTROL

### PARTS INCLUDED



### COMPATIBLE ITEMS



Built with a 30mm tube and broadband multi-coated lenses, these scopes feature high power magnification, mil-dot reticle, side parallax adjustment, zero locking/resetting turrets, and the TactEdge® angled integral sunshade. Our latest premium scope features a sophisticated bubble leveler that is directly viewable through the view finder for an even higher level of premium precision.




**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 4-16X56

30MM SCP3-UG4165A0IEWB

ACCUSHOT® 30mm 4-16x56 Bubble Leveler Etched Mil-dot Reticle Scope



- Adjustment Markers Help Shooters Track Turret Rotations and Provide Quick References for Elevation Adjustment
- Bubble Leveler within View Finder Aids in Reducing Long Range Errors Caused by Canting



**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 6-24X56

30MM SCP3-UG6245A0IEW

ACCUSHOT® 30mm 6-24x56 Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 8-32X56

30MM SCP3-UG832A0IEW

ACCUSHOT® 30mm 8-32x56 Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 8-32X56

30MM SCP3-UG832G4

ACCUSHOT® 30mm 8-32x56 G4 Reticle Scope

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 4-16X56

30MM SCP3-UG4165A0IEW

ACCUSHOT® 30mm 4-16x56 Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**

10 YDS TO INFINITY

## 4-16X56

30MM SCP3-UG4165G4

ACCUSHOT® 30mm 4-16x56 G4 Reticle Scope

Model #	SCP3-UG4165A0IEWB	SCP3-UG832A0IEW	SCP3-UG6245A0IEW	SCP3-UG4165A0IEW	SCP3-UG832G4	SCP3-UG4165G4
Magnification	4x-16x	8x-32x	6x-24x	4x-16x	8x-32x	4x-16x
Tube Diameter	30mm	30mm	30mm	30mm	30mm	30mm
Objective Diameter	56mm	56mm	56mm	56mm	56mm	56mm
Field of View @100 Yards	24.4' - 6.8'	13.1' - 3.7'	14.7' - 4.7'	24.4' - 6.8'	13.1' - 3.7'	24.4' - 6.8'
Eye Relief	3.2" - 3.0"	3.4" - 3.3"	3.4" - 3.3"	3.2" - 3.0"	3.4" - 3.3"	3.2" - 3.0"
Exit Pupil	14 - 3.5mm	7.0 - 1.8mm	9.3 - 2.3mm	14 - 3.5mm	7.0 - 1.8mm	14 - 3.5mm
Click Value @100 Yards	1/8"	1/8"	1/8"	1/8"	1/8"	1/8"
Length	16.0"	17.52"	17.52"	16.0"	17.52"	16.0"
Weight	31.7oz	32.2oz	32.2oz	27.4oz	32.2oz	27.4oz
Parallax Setting	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity
Rings	RG2W3224 (P.055)	RG2W3224 (P.055)	RG2W3224 (P.055)	RG2W3224 (P.055)	RG2W3224 (P.055)	RG2W3224 (P.055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V




# ACCUSHOT® PRECISION SERIES

PRECISION TARGET SHOOTING AND HUNTING


Please refer to **P.017** for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30MM 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- ANGLED INTEGRAL SUNSHADE
- SWAT PARALLAX CONTROL

**PARTS INCLUDED**



**COMPATIBLE ITEMS**



We expanded the full-size IE® scopes' configuration to include more models to form the ACCUSHOT® Precision Series in practical mid-range power.




**IE® WIRE RETICLE**


10 YDS TO INFINITY  
**4-16X44**

30MM SCP3-U416AOIEW  
ACCUSHOT® 30mm 4-16x44 Full-size Mil-dot Reticle Scope

Side Wheel Adjustable Turret (SWAT) Adjusts The Parallax from 10 Yards to Infinity



Smart Spherical Structure Design for Optimal Zero Hold Under Recoil



Some Models Available with Etched Glass Reticle



Side Wheel Adjustable Turret Compatible with Add-on Big Wheel (Sold Separately)



**ETCHED GLASS RETICLE**

10 YDS TO INFINITY  
**3-12X44**

30MM SCP3-UG312AOIEW  
ACCUSHOT® 30mm 3-12x44 Mil-dot Reticle Scope

**IE® WIRE RETICLE**

10 YDS TO INFINITY  
**3-12X44**

30MM SCP3-U312AOIEW  
ACCUSHOT® 30mm 3-12x44 Full-size Mil-dot Reticle Scope

Model #	SCP3-U416AOIEW	SCP3-U312AOIEW	SCP3-UG312AOIEW
Magnification	4x-16x	3x-12x	3x-12x
Tube Diameter	30mm	30mm	30mm
Objective Diameter	44mm	44mm	44mm
Field of View @100 Yards	24.4' - 6.8'	34.0' - 8.5'	34.0' - 8.5'
Eye Relief	3.2" - 3.0"	3.3" - 3"	3.3" - 3"
Exit Pupil	10.2 - 2.8mm	13.1 - 3.7mm	13.1 - 3.7mm
Click Value @100 Yards	1/4"	1/4"	1/4"
Length	15.4"	14.0"	14.0"
Weight	23.4oz	22.7oz	22.7oz
Parallax Setting	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity
Rings	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V




# ACCUSHOT® SCOUTING SERIES

## EXTENDED LONG EYE RELIEF OPTICS


Please refer to **P.017** for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30MM 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- ANGLED INTEGRAL SUNSHADE
- EXTENDED LONG EYE RELIEF

### PARTS INCLUDED



### COMPATIBLE ITEMS




All the same features you've come to expect in our Precision Series, such as 36 color IE® and Zero Locking/Resetting Turrets are built into the Scout Series. You also get the extended eye relief which enables shooters to rapidly engage multiple targets while keeping both eyes open.



10 YDS TO INFINITY  
**2-7X44**


30MM SCP3-274LA0IEW  
ACCUSHOT® 30mm 2-7x44 Long Eye Relief Mil-dot Reticle Scope



Reliable Etched Glass Reticle



Side Wheel Adjustable Turret Models Compatible with Add-on Big Wheel (Sold Separately)



Robust Coil Erector Return Spring System Providing Lasting Tension For Zero Hold



PARALLAX PRESET AT 100 YDS  
**1-4X28**

30MM SCP3-14LIECDQ  
ACCUSHOT® 30mm 1-4x28 Long Eye Relief Circle Dot Reticle Scope



PARALLAX PRESET AT 100 YDS  
**1-4X28**

30MM SCP3-14LIEMDQ  
ACCUSHOT® 30mm 1-4x28 Long Eye Relief Mil-dot Reticle Scope

Model #	SCP3-274LA0IEW	SCP3-14LIEMDQ	SCP3-14LIECDQ
Magnification	2x-7x	1x-4x	1x-4x
Tube Diameter	30mm	30mm	30mm
Objective Diameter	44mm	28mm	28mm
Field of View @100 Yards	32' - 10'	78.4' - 21'	78.4' - 21'
Eye Relief	11 - 9.5"	14" - 8"	14" - 8"
Exit Pupil	22 - 6.3mm	28 - 7mm	28 - 7mm
Click Value @100 Yards	1/4"	1/2"	1/2"
Length	11.5"	10.6"	10.6"
Weight	25.4oz	19.8oz	19.8oz
Parallax Setting	10Yds - Infinity	100Yds	100Yds
Rings	RQ2W3154 (P.055)	RQ2W3154 (P.055)	RQ2W3154 (P.055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V






# ACCUSHOT® T8 TACTICAL SERIES

VERSATILE OPTICS FOR MULTI-APPLICATIONS

Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- IE** 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30mm 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- PARTS INCLUDED




Innovatively designed and ruggedly built CQB/MRC (Multi-Range Combat & Competition) scopes with a generous eye relief and amazing optical clarity for avid hunters and 3-gun competitors.


## 8X ZOOM IN A COMPACT PACKAGE




**PARALLAX PRESET AT 100 YDS**  
**1-8X28**  
 30MM SCP3-18IEBG4  
 ACCUSHOT® 30mm 1-8x28 MRC(Multi-range Combat / Competition) BDC BG4 Reticle Scope



**PARALLAX PRESET AT 100 YDS**  
**1-8X28**  
 30MM SCP3-18IEMDQ  
 ACCUSHOT® 30mm 1-8x28 MRC (Multi-range Combat / Competition) Mil-dot Reticle Scope




**PARALLAX PRESET AT 100 YDS**  
**1-8X28**  
 30MM SCP3-18IECDQ  
 ACCUSHOT® 30mm 1-8x28 MRC (Multi-range Combat / Competition) Circle Dot Reticle Scope




**10 YDS TO INFINITY**  
**2-16X44**  
 30MM SCP3-216UMOA  
 ACCUSHOT® 30mm 2-16x44 MRC (Multi-range Combat / Competition) UMOA Reticle Scope



**10 YDS TO INFINITY**  
**2-16X44**  
 30MM SCP3-216AIEW  
 ACCUSHOT® 30mm 2-16x44 MRC (Multi-range Combat / Competition) Mil-dot Reticle Scope



**10 YDS TO INFINITY**  
**2-16X44**  
 30MM SCP3-216G4  
 ACCUSHOT® 30mm 2-16x44 MRC (Multi-range Combat / Competition) G4 Reticle Scope



**THE BG4** Reticle is designed to be fast and intuitive to use and features ballistic drop compensation and rangefinder markings out to 600 yards. The ballistic data is based on common 5.56/.223 loadings in modern sporting rifles. The three thick posts draw the eye to the center for rapid acquisition at close range, while the drop compensation allows for rapid engagement of targets throughout the platform's effective range.

Model #	SCP3-18IEBG4	SCP3-18IEMDQ	SCP3-18IECDQ	SCP3-216AIEW	SCP3-216UMOA	SCP3-216G4
Magnification	1x-8x	1x-8x	1x-8x	2x-16x	2x-16x	2x-16x
Tube Diameter	30mm	30mm	30mm	30mm	30mm	30mm
Objective Diameter	28mm	28mm	28mm	44mm	44mm	44mm
Field of View @100 Yards	99.5 - 13'	99.5 - 13'	99.5 - 13'	44.5' - 6.3'	44.5' - 6.3'	44.5' - 6.3'
Eye Relief	5 - 3.35"	5 - 3.35"	5 - 3.35"	4.1 - 3.5"	4.1 - 3.5"	4.1 - 3.5"
Exit Pupil	26.5 - 3.4mm	26.5 - 3.4mm	26.5 - 3.4mm	22 - 2.7mm	22 - 2.7mm	22 - 2.7mm
Click Value @100 Yards	1/2"	1/2"	1/2"	1/4"	1/4"	1/4"
Length	10.25"	10.25"	10.25"	12.37"	12.37"	12.37"
Weight	18oz	18oz	18oz	22.6oz	22.6oz	22.6oz
Parallax Setting	100 Yds	100Yds	100Yds	10Yds - Infinity	10Yds - Infinity	10Yds - Infinity
Rings	AIR32234 (P.051)	RQ2W3154 (P.055)	RQ2W3154 (P.055)	RQ2W3154 (P.055)	RQ2W3154 (P.055)	RQ2W3154 (P.055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V




# ACCUSHOT® T4 TACTICAL SERIES

## COMPACT PRISMATIC OPTICS


Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- PRISMATIC REFRACTION
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- FLIP-OPEN LENS CAPS
- ZERO L/R TURRETS
- TWIST LOCK MOUNTING BASE

### PARTS INCLUDED



T4 prismatic scopes combine an impressive array of high-performance features into rugged, compact packages. The prism-based design allows for a more compact optical system without sacrificing optical quality. IE® 36-color illuminated reticles are etched directly on the prism to ensure consistent point-of-aim at all times.



### ADVANCED PRISMATIC DESIGN

Sophisticated prismatic design provides a super compact optical system without sacrificing optical quality. The distance light needs to travel is achieved after multiple refractions are completed inside the prism.


# 50% SHORTER

### MORE COMPACT IN SIZE

Prismatic design dramatically shortens the T4 series optics. They are half the length comparing to other traditional 4X powered optics in the market.




**ETCHED GLASS RETICLE**



PARALLAX PRESET AT 100 YDS  
**4X32**

34MM SCP-T4IEMDQ  
ACCUSHOT® Compact Prismatic T4 4x32 Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**



PARALLAX PRESET AT 100 YDS  
**4X32**

34MM SCP-T4IETDQ  
ACCUSHOT® Compact Prismatic T4 4x32 T-dot Reticle Scope

**ETCHED GLASS RETICLE**



PARALLAX PRESET AT 100 YDS  
**4X32**

34MM SCP-T4IECDQ  
ACCUSHOT® Compact Prismatic T4 4x32 Circle Dot Reticle Scope



Model #	SCP-T4IEMDQ	SCP-T4IECDQ	SCP-T4IETDQ
Magnification	4x	4x	4x
Tube Diameter	34mm	34mm	34mm
Objective Diameter	32mm	32mm	32mm
Field of View @100 Yards	27'	27'	27'
Eye Relief	2.3"	2.3"	2.3"
Exit Pupil	8mm	8mm	8mm
Click Value @100 Yards	1/4"	1/4"	1/4"
Length	5.5"	5.5"	5.5"
Weight	19.5oz	19.5oz	19.5oz
Parallax Setting	100Yds	100Yds	100Yds
Mounting Base	Bidirectional Integral QD Mount	Bidirectional Integral QD Mount	Bidirectional Integral QD Mount
Batteries	CR1632	CR1632	CR1632




# ACCUSHOT® TACTICAL SERIES

FOR WHEN PRECISION & SPEED COUNTS


Please refer to **P.017** for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 30MM 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- ANGLED INTEGRAL SUNSHADE

### PARTS INCLUDED




### COMPATIBLE ITEMS




Featuring a 30mm 1-piece main tube and 3 choices of illuminated reticles (Circle Dot, Wire or Etched Glass Mil-dot), the Tactical Series offers a rich selection of features for any shooting situation. Our Tactical Series will give you years of dependable service with their rugged construction and proven design.

**ETCHED GLASS RETICLE**  
PARALLAX PRESET AT 100 YDS  
**1-4.5X28**  
30MM SCP3-145IEMDQ  
ACCUSHOT® 30mm 1-4.5x28 CQB Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**  
PARALLAX PRESET AT 100 YDS  
**1-4.5X28**  
30MM SCP3-145IECDQ  
ACCUSHOT® 30mm 1-4.5x28 CQB Circle Dot Reticle Scope



Smart Spherical Structure Design for Optimal Zero Hold Under Recoil



Some Models Available with Wire Reticles



Side Wheel Adjustable Turret Models Compatible with Add-on Big Wheel (Sold Separately)

**ETCHED GLASS RETICLE**  
10 YDS TO INFINITY  
**3-12X44**  
30MM SCP3-UGM312AOIEW  
ACCUSHOT® 30mm 3-12x44 Compact Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**  
10 YDS TO INFINITY  
**4-16X44**  
30MM SCP3-UGM416AOIEW  
ACCUSHOT® 30mm 4-16x44 Compact Mil-dot Reticle Scope

**ETCHED GLASS RETICLE**  
PARALLAX PRESET AT 100 YDS  
**1.5-6X44**  
30MM SCP3-UG156IEW  
ACCUSHOT® 30mm 1.5-6x44 Mil-dot Reticle Scope

**WIRE RETICLE**  
10 YDS TO INFINITY  
**10X44**  
30MM SCP3-UGM104AOIEW  
ACCUSHOT® 30mm 10x44 Compact Mil-dot Reticle Scope

**WIRE RETICLE**  
10 YDS TO INFINITY  
**3-12X44**  
30MM SCP3-UM312AOIEW  
ACCUSHOT® 30mm 3-12x44 Compact Mil-dot Reticle Scope

**WIRE RETICLE**  
10 YDS TO INFINITY  
**4-16X44**  
30MM SCP3-UM416AOIEW  
ACCUSHOT® 30mm 4-16x44 Compact Mil-dot Reticle Scope

**WIRE RETICLE**  
PARALLAX PRESET AT 100 YDS  
**1.5-6X44**  
30MM SCP3-U156IEW  
ACCUSHOT® 30mm 1.5-6x44 Mil-dot Reticle Scope


Model #	SCP3-145IECDQ	SCP3-145IEMDQ	SCP3-UGM312AOIEW	SCP3-UM312AOIEW	SCP3-UGM416AOIEW	SCP3-UM416AOIEW	SCP3-UGM104AOIEW	SCP3-UG156IEW	SCP3-U156IEW
Magnification	1x-4.5x	1x- 4.5x	3x-12x	3x-12x	4x-16x	4x-16x	10x	1.5x-6x	1.5x-6x
Tube Diameter	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm	30mm
Objective Diameter	28mm	28mm	44mm	44mm	44mm	44mm	44mm	44mm	44mm
Field of View @100 Yards	106' - 28'	106' - 28'	32.0' - 10.0'	32.0' - 10.0'	26.2' - 7.85'	26.2' - 7.85'	11.4'	57.6' - 17.3'	57.6' - 17.3'
Eye Relief	4.5" - 3.0"	4.5" - 3.0"	3.4" - 3.0"	3.4" - 3.0"	3.4" - 3.0"	3.4" - 3.0"	3.2"	3.9" - 3.0"	3.9" - 3.0"
Exit Pupil	27 - 6mm	27 - 6mm	13.0 - 3.9mm	13.0 - 3.9mm	11 - 2.7mm	11 - 2.7mm	5mm	17.2 - 7.3mm	17.2 - 7.3mm
Click Value @100 Yards	1/2"	1/2"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Length	8.8"	8.8"	11.1"	11.1"	11.2"	11.2"	10.6"	13.2"	13.2"
Weight	16.8oz	16.8oz	23.2oz	23.2oz	21.8oz	21.8oz	21.9oz	22.8oz	22.8oz
Parallax Setting	100Yds	100Yds	10Yds - Infinity	10Yds - Infinity	10Yds to Infinity	10Yds to Infinity	10Yds - Infinity	100Yds	100Yds
Rings	RQ2W3104 (P.055)	RQ2W3104 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)	RG2W3154 (P.055)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V

**UTG® BUGBUSTER® SERIES**  
FOLLOW THROUGH AT ALL DISTANCES


Please refer to **P.017** for details.

- TS** TRUE STRENGTH® PLATFORM
- IE** 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- RINGS & LENS CAPS
- ZERO L/R TURRETS


**PARTS INCLUDED**



**COMPATIBLE ITEMS**



Built from a 1 inch main tube, these are just as rugged as our tactical scopes. They all feature a Mil-dot reticle along with Zero Locking/Resetting Turrets in a compact and lightweight package. Bugbuster® scope fans now get to enjoy the UTG® exclusive 36-color IE® reticle or Side Wheel Parallax Adjustment.



**3 YDS TO INFINITY**  
**3-12X32**  
**3 YDS TO INFINITY**  
**3-9X32**

**1" SCP-M312AOWQ**  
Bugbuster® 1 inch 3-12x32 AO Compact Mil-dot Reticle Scope with Picatinny Rings

**1" SCP-M392AOD**  
Bugbuster® 1 inch 3-9x32 AO Compact Mil-dot Reticle Scope with Dovetail Rings

**1" SCP-M312AOD**  
Bugbuster® 1 inch 3-12x32 AO Compact Mil-dot Reticle Scope with Dovetail Rings



Side Wheel Adjustable Turret Models Compatible with Add-on Big Wheel (Sold Separately)



Zero Locking/Resetting Target Turrets



Compact 8 Inch Overall Length



**IE® WIRE RETICLE**  
**3 YDS TO INFINITY**  
**3-9X32**

**RGB WIRE RETICLE**  
**3 YDS TO INFINITY**  
**3-9X32**

**IE® WIRE RETICLE**  
**PARALLAX PRESET AT 100 YDS**  
**4X32**

**1" SCP-M392AOIEWQ**  
Bugbuster® 1 inch 3-9x32 AO Compact Mil-dot Reticle Scope

**1" SCP-M392AOLWQ**  
Bugbuster® 1 inch 3-9x32 AO Compact Mil-dot Reticle Scope

**1" SCP-M432IEWQ**  
Bugbuster® 1 inch 4x32 Compact Mil-dot Reticle Scope

Model #	SCP-M312AOWQ	SCP-M312AOD	SCP-M392AOD	SCP-M392AOIEWQ	SCP-M392AOLWQ	SCP-M432IEWQ
Magnification	3x-12x	3x-12x	3x-9x	3x-9x	3x-9x	4x
Tube Diameter	1"	1"	1"	1"	1"	1"
Objective Diameter	32mm	32mm	32mm	32mm	32mm	32mm
Field of View @100 Yards	31' - 10'	31' - 10'	36.6' - 12.5'	37.7' - 14'	37.7' - 14'	27.2'
Eye Relief	4.3" - 3.3"	4.3" - 3.3"	4.25" - 3.3"	4.2" - 3.2"	4.2" - 3.2"	3.8"
Exit Pupil	10.6 - 2.7mm	10.6 - 2.7mm	10.6 - 3.6mm	10.6 - 3.6mm	10.6 - 3.6mm	8mm
Click Value @100 Yards	1/3"	1/3"	1/3"	1/4"	1/4"	1/4"
Length	8.1"	8.1"	7.9"	8.2"	8.2"	8.2"
Weight	12.7oz	12.7oz	12oz	14oz	14oz	12.3oz
Parallax Setting	3Yds - Infinity	3Yds - Infinity	3yds - infinity	3Yds - Infinity	3Yds - Infinity	100Yds
Rings	RQ2W1154 (P.055)	RT2D1154	RT2D1154	RQ2W1154 (P.055)	RQ2W1154 (P.055)	RQ2W1154 (P.055)
Batteries	N/A	N/A	N/A	CR1632 3V	CR1620 3V	CR1632 3V

# UTG® TRUE HUNTER™ IE® SERIES

A STAPLE OPTIC FOR HUNTING

Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- IE 36 COLOR ILLUMINATION
- BROADBAND MULTI-COATING
- 1 INCH 1-PIECE MAIN TUBE
- RINGS & LENS CAPS
- ZERO L/R TURRETS
- SUNSHADE INCLUDED

**PARTS INCLUDED**

- Lens Caps
- Installation Tool
- Scope Rings
- Battery

- Sunshade (50mm Objective Scopes Only)


**COMPATIBLE ITEMS**

- Eye Shade (P.047)

All True Hunter Scopes are equipped with the EZ-TAP® 36 IE® Technology feature to provide both Red/Green and 36 color IE® illumination. Max Strength rings and flip-open lens caps are also included.



1" SCP-U395AOIEW  
True Hunter™ 1 inch 3-9x50 Full-size Mil-dot Reticle Scope



Smart Spherical Structure Design for Optimal Zero Hold Under Recoil




Dual and 36 Multi-color Reticle Illumination




Broadband Multi-coating for Optimal Light Transmission



1" SCP-U4164AOIEW  
True Hunter™ 1 inch 4-16x40 Full-size Mil-dot Reticle Scope




1" SCP-U416AOIEN  
True Hunter™ 1 inch 4-16x40 Full-size Mil-dot Reticle Scope




1" SCP-U312AOIEW  
True Hunter™ 1 inch 3-12x40 Full-size Mil-dot Reticle Scope




1" SCP-U394AOIEW  
True Hunter™ 1 inch 3-9x40 Full-size Mil-dot Reticle Scope



1" SCP-U394AOIEN  
True Hunter™ 1 inch 3-9x40 Full-size Mil-dot Reticle Scope with Dovetail Rings



1" SCP-U4165AOIEW  
True Hunter™ 1 inch 4-16x50 Full-size Mil-dot Reticle Scope



1" SCP-U6245AOIEW  
True Hunter™ 1 inch 6-24x50 Full-size Mil-dot Reticle Scope

Model #	SCP-U6245AOIEW	SCP-U4165AOIEW	SCP-U4164AOIEW	SCP-U4164AOIEN	SCP-U312AOIEW	SCP-U395AOIEW	SCP-U394AOIEW	SCP-U394AOIEN
Magnification	6x-24x	4x-16x	4x-16x	4x-16x	3x-12x	3x-9x	3x-9x	3x-9x
Tube Diameter	1"	1"	1"	1"	1"	1"	1"	1"
Objective Diameter	50mm	50mm	40mm	40mm	40mm	50mm	40mm	40mm
Field of View @100 Yards	14.4' - 4.1'	23.0' - 6.0'	23.0' - 6.0'	23.0' - 6.0'	34.0' - 8.5'	35.6' - 12'	35.6' - 12'	35.6' - 12'
Eye Relief	3.2" - 3.0"	3.2" - 3.0"	3.2" - 3.0"	3.2" - 3.0"	3.2" - 2.9"	3.9" - 3.2"	3.9" - 3.2"	3.9" - 3.2"
Exit Pupil	8.3 - 2.2mm	12.5 - 2.5mm	10.0 - 2.5mm	10.0 - 2.5mm	13.1 - 3.3mm	16 - 5.5mm	13 - 4.5mm	13 - 4.5mm
Click Value @100 Yards	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Length	15.2"	14.9"	14.5"	14.5"	13"	12.9"	12.6"	12.6"
Weight	26.5oz	25.7oz	22.3oz	22.3oz	21.9oz	24.8oz	21.1oz	21.1oz
Parallax Setting	10Yds - Infinity	5Yds - Infinity	5Yds - Infinity	5Yds - Infinity	5Yds - Infinity	5Yds - Infinity	5Yds - Infinity	5Yds - Infinity
Rings	RG2W1204 (P.055)	RG2W1204 (P.055)	RGWM-25H4 (P.057)	N/A	RG2W1204 (P.055)	RG2W1204 (P.055)	RG2W1204 (P.055)	RGPM-25M4 (P.057)
Batteries	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V	CR2032 3V



# UTG® TRUE HUNTER™ CLASSIC SERIES

MINIMALIST INSPIRED DESIGNS AND FUNCTIONS





This line features our TF2+ windage and elevation turrets on some of the most popular magnification powers and objective lens sizes. Our basic hunting scopes offer features found on other premium brand scopes, yet are affordable from LEAPERS UTG.

Please refer to **P.017** for details.

**TS** TRUE STRENGTH® PLATFORM

**R** RINGS & LENS CAPS

**T** 1 INCH 1-PIECE MAIN TUBE




**WIRE RETICLE**

**5 YDS TO INFINITY**

**4X32**

1" SCP-U432AOWT2

True Hunter™ 1 inch 4x32 AO Full Size Mil-dot Reticle Scope with Picatinny Rings




**WIRE RETICLE**

**PARALLAX PRESET AT 100 YDS**

**3-9X40**

1" SCP-U394FWT2

True Hunter™ 1 inch 3-9x40 Full Size Mil-dot Reticle Scope with Picatinny Rings




**WIRE RETICLE**

**PARALLAX PRESET AT 35 YDS**

**3-9X40**

1" SCP-U394FDT2

True Hunter™ 1 inch 3-9x40 Full Size Mil-dot Reticle Scope with Dovetail Rings




**WIRE RETICLE**

**5 YDS TO INFINITY**

**3-9X32**

1" SCP-U392AODT2

True Hunter™ 1 inch 3-9x32 AO Full Size Mil-dot Reticle Scope with Dovetail Rings



**WIRE RETICLE**

**PARALLAX PRESET AT 100 YDS**

**4X32**

1" SCP-U432M1

True Hunter™ 1 inch 4x32 Compact Size Mil-dot Reticle Scope



**WIRE RETICLE**

**100 YDS -PRESET PARALLAX -35 YDS**

**4X32**

1" SCP-U432FW

True Hunter™ 1 inch 4x32 Full Size Mil-dot Reticle Scope with Picatinny Rings



**WIRE RETICLE**

**PARALLAX PRESET AT 35 YDS**

**3-9X32**

1" SCP-U392RGD

True Hunter™ 1 inch 3-9x32 Full Size Mil-dot Reticle Scope with Dovetail Rings

**RGB ILLUMINATION**

Model #	SCP-U432AOWT2	SCP-U432FW	SCP-U432FD	SCP-U432M1	SCP-U394FWT2	SCP-U394FDT2	SCP-U392AODT2	SCP-U392RGD
Magnification	4x	4x	4x	4x	3x-9x	3x-9x	3x-9x	3x-9x
Tube Diameter	1"	1"	1"	1"	1"	1"	1"	1"
Objective Diameter	32mm	32mm	32mm	32mm	40mm	40mm	32mm	32mm
Field of View @100 Yards	32'	32'	32'	24'	35.6' - 12'	35.6' - 12'	35.6' - 12'	35.6' - 12'
Eye Relief	3.4"	3.4"	3.4"	3.2"	3.9" - 3.2"	3.9" - 3.2"	3.9" - 3.2"	4.1" - 3.5"
Exit Pupil	8.0mm	8.0mm	8.0mm	8.0mm	13 - 4.5mm	13 - 4.5mm	13 - 4.5mm	10.6 - 3.2mm
Click Value @100 Yards	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Length	11.9"	11.8"	11.8"	8.2"	13.1"	13.1"	12.2"	13.1"
Weight	16.5oz	14.4oz	14.4oz	9.4oz	18.7oz	18.7oz	18.3oz	15.7oz
Parallax Setting	5Yds to Infinity	100Yds	35Yds	100Yds	100Yds	35Yds	5Yds to Infinity	35Yds
Rings	RG2W1154 (P.055)	RGWM-25M4 (P.057)	RGPM-25M2	RGWM-25L2 (P.057)	RG2W1154 (P.055)	RGPM-25M4 (P.057)	RGPM-25M4 (P.057)	RGPM-25M4 (P.057)
Batteries	N/A	N/A	N/A	N/A	N/A	N/A	N/A	CR1620 3V

**REFLEX MICRO DOT**  
**COMPACT 2.0" BODY**


- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- 4 MOA Illuminated Single Dot with 6 Variable Brightness Settings
- 1-Click Illumination Memory Feature Gets the User Right Back to the Brightness Setting Last Used
- Windage and Elevation Adjustable with 1 MOA/Click Adjustment at 100 Yds
- Adaptive Mount Base Includes Universal MIL-STD-1913 Picatinny Mount and is Compatible with Glock MOS #1, #5, S&W CORE™ #5 Plates, and Other Equivalently Manufactured Plates
- Multi-applicative Towards a Wide Variety of Different Firearms

Compatible with Glock MOS #1, #5, and S&W CORE™ #5 Plates, and Other Equivalently Manufactured Plates



**RED 4 MOA SINGLE DOT**

SCP-RDM20R  
2.0" Reflex Micro Dot with Red Single Dot & Adaptive Mounting Base




**GREEN 4 MOA SINGLE DOT**

SCP-RDM20G  
2.0" Reflex Micro Dot with Green Single Dot & Adaptive Mounting Base




**R/G CIRCLE DOT**



SCP-RDM39CDQ  
3.9" Reflex Sight with R/G Illuminated Circle Dot & Integral Twist Lock Mount Base

**R/G 4 MOA SINGLE DOT**



SCP-RDM39SDQ  
3.9" Reflex Sight with R/G Illuminated Single Dot & Integral Twist Lock Mount Base

Model #	SCP-RDM39CDQ	SCP-RDM39SDQ	SCP-RDM20R	SCP-RDM20G	SCP-MF3WEQS
Magnification	1x	1x	1x	1x	3x
Tube Diameter	N/A	N/A	N/A	N/A	44mm
Objective Diameter	34 X 25mm	34 X 25mm	23x17mm	23x17mm	25mm
Field of View @100 Yards	---	---	---	---	45'
Eye Relief	Unlimited	Unlimited	Unlimited	Unlimited	2"
Exit Pupil	---	---	---	---	8.7mm
Click Value @100 Yards	1"	1"	1"	1"	N/A
Center Height	37mm	37mm	15.5mm (20mm W/ Mounting Base)	42mm	
Length	3.9"	3.9"	2"	2"	4"
Weight	8.64oz	8.64oz	1.12oz	1.12oz	11.82oz
Batteries	AG5 X2	AG5 X2	CR2032 3V	CR2032 3V	N/A



- US PAT. D672,839
- US PAT. 8,397,421
- EU PAT. 001984576-0001

**3X FLIP-TO-SIDE MAGNIFIER**

SCP-MF3WEQS  
3X QD Flip-to-Side Magnifier with Locking Windage/Elevation Adjustment



**MAGNIFIER COMPATIBILITY CHART**

Perfect Match	Match W/ 0.75"/0.59"/0.5" Riser	Match W/ 0.83" Riser
SCP-TDTDQ	SCP-RD40RGW-A	SCP-RDM20R
SCP-TDSDQ	SCP-RD40SDQ	SCP-RDM20G
SCP-DS3840W	SCP-RD40CDQ	Check out Magnifier & Dot Sight cross-reference table at <a href="http://www.leapers.com">www.leapers.com</a>
SCP-DS3039W	SCP-DS3028W	
SCP-DS3840TDQ	SCP-DS3026W	
SCP-RDM39SDQ	SCP-DS3068W	
SCP-RDM39CDQ	SCP-DS3068TDQ	

Please refer to **P.017** for details.

- TS** TRUE STRENGTH® PLATFORM
- ∞** UNLIMITED EYE RELIEF
- US PAT. 8,397,421**

UTG® offers the widest selection of dot sights for any and every close quarters scenario. Need mounts of different heights? Versatile mounting solutions? Is quick detach deployment a must? We have considered them all!


**NEW**  
**RED 4 MOA SINGLE DOT**

OP-DS2521R

2.5" Mini Dot Sight with Red Single Dot & Absolute Co-witness Mount



Covered Windage and Elevation Adjustment Turrets with Keyed Caps



7 Power Intensity Settings with 1-Click Illumination Memory



Absolute Co-witness Mount

T1 Compatible Base Interface



IPX7 Waterproof Rated



Utilizes Locking Torx Screws and Square-shaped Integral Recoil Stops for Secure Zero Hold



Low Profile Design with Base for Reduced Weight and Bulk



Lockable W/E Target Turrets

RG Illumination

Quick Detach Lever Lock

Bidirectional Offset Mount Included



**RG T-DOT**



SCP-TDTDQ

6" RG T-dot Sight with Bidirectional QD Mount

**RG 4 MOA SINGLE DOT**

SCP-TDSDQ

6" RG Single Dot Sight with Bidirectional QD Mount



**RG 4 MOA SINGLE DOT**

SCP-DS3026W

2.6" RG Single Dot Sight with Integral QD Base



Click Adjustable Turrets



Double Lock Turrets

Offset Riser Included

**RG 4 MOA SINGLE DOT**

SCP-DS3039W

3.9" RG Single Dot Sight with Offset Riser & QD Mount

Offset Riser Applications



Click Adjustable Turrets

**RG 4 MOA SINGLE DOT**

SCP-RD40RGW-A

3.8" RG Single Dot Sight with Integral QD Base



**RG T-DOT**

SCP-DS3840TDQ

4.2" RG T-dot Sight with Offset Riser & QD Mount



Offset Riser Applications

**RG 4 MOA SINGLE DOT**

SCP-DS3840W

4.2" RG Single Dot Sight with Offset Riser & QD Mount



**RG T-DOT**

SCP-DS3068TDQ

6.4" RG T-dot Sight with Max Strength QD Mount



Double Lock Turrets

One-piece Scope Mount Included

**RG 4 MOA SINGLE DOT**

SCP-DS3068W

6.4" RG Single Dot Sight with Max Strength QD Mount



**RG 4 MOA SINGLE DOT**

SCP-RG40SDQ

3.8" RG Single Dot Sight with Integral QD Base



Click Adjustable Turrets

**RG CIRCLE DOT**

SCP-RG40CDQ

3.8" RG Circle Dot Sight with Integral QD Base

Model #	OP-DS2521R	SCP-TDTDQ	SCP-TDSDQ	SCP-DS3068W	SCP-DS3068TDQ	SCP-DS3840W	SCP-DS3840TDQ	SCP-DS3026W	SCP-DS3039W	SCP-RD40RGW-A	SCP-RG40SDQ	SCP-RG40CDQ
Magnification	1x	1x	1x	1x	1x	1x	1x	1x	1x	1x	1x	1x
Tube Diameter	33mm	38mm	38mm	30mm	30mm	38mm	38mm	30mm	30mm	38mm	38mm	38mm
Objective Diameter	21mm	39mm	39mm	30mm	30mm	32mm	32mm	21mm	26mm	30mm	30mm	30mm
Field of View @100 Yards	85'	85'	85'	63'	63'	103'	103'	95'	75'	95'	95'	95'
Eye Relief	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Exit Pupil	21mm	26mm	26mm	21mm	21mm	22mm	22mm	21mm	21mm	22mm	22mm	22mm
Click Value @100 Yards	1"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Center Height	35mm	42mm	42mm	25mm	25mm	32mm(42mm w/ riser)	25mm	30mm(40mm w/ riser)	25.5mm	25.5mm	25.5mm	25.5mm
Length	2.5"	6"	6"	6.4"	6.4"	4.2"	4.2"	2.6"	3.9"	3.8"	3.8"	3.8"
Weight	5.2oz	13.1oz	13.1oz	12.1oz	12.1oz	8.7oz	8.7oz	4.9oz	8.3oz	9.4oz	8.4oz	8.4oz
Batteries	CR1620	CR1620	CR1620	CR1620 3V	CR1620 3V	CR1620 3V	CR1620 3V	CR1620 3V	CR1620 3V	CR2032 3V	CR2032 3V	CR2032 3V





# UTG® AIR RIFLE SCOPES & ACCESSORIES

CAREFULLY SELECTED FOR AIRGUNNERS



**ETCHED GLASS RETICLE**




**PAGE 022**  
FOR DETAILS

10 YDS TO INFINITY  
**4-16X56**

30MM SCP3-UG4165A0IEW  
ACCUSHOT® 30mm 4-16x56  
Bubble Leveler Mil-dot Reticle Scope



**ETCHED GLASS RETICLE**




**PAGE 023**  
FOR DETAILS

10 YDS TO INFINITY  
**4-16X56**

30MM SCP3-UG4165A0IEW  
ACCUSHOT® 30mm 4-16x56 Mil-dot  
Reticle Scope



**ETCHED GLASS RETICLE**




**PAGE 023**  
FOR DETAILS

10 YDS TO INFINITY  
**6-24X56**

30MM SCP3-UG6245A0IEW  
ACCUSHOT® 30mm 6-24x56 Mil-dot  
Reticle Scope



**ETCHED GLASS RETICLE**



**PAGE 025**  
FOR DETAILS

10 YDS TO INFINITY  
**3-12X44**

30MM SCP3-UG312A0IEW  
ACCUSHOT® 30mm 3-12x44  
Mil-dot Reticle Scope




**ETCHED GLASS RETICLE**



**PAGE 029**  
FOR DETAILS

10 YDS TO INFINITY  
**2-16X44**

30MM SCP3-216UMOA  
ACCUSHOT® 30mm 2-16x44 MRC  
(Multi-range Combat & Competition)  
UMOA Reticle Scope




**PAGE 047**  
FOR DETAILS

### SIDE AO WHEEL

SCP-SW060B SCP-SW080BB  
SCP-SW080B SCP-SW100BL  
SCP-SW100B



**WIRE RETICLE**




**PAGE 037**  
FOR DETAILS

3 YDS TO INFINITY  
**4-16X40**

1" SCP-U416A0IEN  
True Hunter™ 1 inch 4-16x40 Full-size  
Mil-dot Reticle Scope



**WIRE RETICLE**




**PAGE 037**  
FOR DETAILS

3 YDS TO INFINITY  
**3-9X40**

1" SCP-U394A0IED  
True Hunter™ 1 inch 3-9x40 Full-size  
Mil-dot Reticle Scope with Dovetail Rings



**WIRE RETICLE**




**PAGE 034**  
FOR DETAILS

3 YDS TO INFINITY  
**3-12X32**

1" SCP-M312A0D  
Bugbuster® 1 inch 3-12x32 AO  
Compact Mil-dot Reticle Scope with  
Dovetail Rings



**WIRE RETICLE**




**PAGE 038**  
FOR DETAILS

3 YDS TO INFINITY  
**3-9X32**

1" SCP-U392A0DT2  
True Hunter™ 1 inch 3-9x32 AO Full Size  
Mil-dot Reticle Scope with Dovetail Rings



**WIRE RETICLE**




**PAGE 034**  
FOR DETAILS

3 YDS TO INFINITY  
**3-9X32**

1" SCP-M392A0D  
Bugbuster® 1 inch 3-9x32 AO  
Compact Mil-dot Reticle Scope  
with Dovetail Rings




**WIRE RETICLE**



**PAGE 039**  
FOR DETAILS

PARALLAX PRESET AT 35 YDS  
**4X32**

1" SCP-U432FD  
True Hunter™ 1 inch 4x32 Full Size  
Mil-dot Reticle Scope with Dovetail Rings



**PAGE 099**  
FOR DETAILS

**REFER TO AIR RIFLE  
MOUNTS AND ADAPTORS**

Please refer to P.017 for details.

- TS** TRUE STRENGTH® PLATFORM
- RGB** RED/GREEN/BLACK RETICLE
- RINGS & LENS CAPS**



**RGB PDC RETICLE**

PARALLAX PRESET AT **33 YDS**

**2-7X32**

1" SCP-27PRGW

1 inch 2-7x32 RGB PDC Reticle Handgun Scope



**25"-13.8"**  
EXTENDED LONG EYE RELIEF

The Projectile Drop Compensation (PDC) reticle features four posts advancing from the outer edge of the reticle space towards the center, from the 3, 6, 9, and 12 O'clock positions. The four posts transition to a finer post thickness at the center of the crosshair, quickly focusing the eye towards the center and on target. The 6 O'clock post features four drop compensation points, providing the shooter with quick holdovers for their predetermined cartridge ballistics. The PDC reticle features a red/green dual-color mode which can be activated when lighting conditions require it.




**PRO 5-STEP RETICLE**

PARALLAX PRESET AT **50 YDS**

**4X32**

1" SCP-M4CR5WQ

1 Inch 4x32 Pro 5-step Reticle Crossbow Scope




Model #	SCP-27PRGW	SCP-M4CR5WQ
Magnification/FPS Compensation	2x-7x	4x
Tube Diameter	1"	1"
Objective Diameter	32mm	32mm
Field of View @100 Yards	19.2' - 7'	27.2'
Eye Relief	25" - 13.8"	3.8"
Exit Pupil	16 - 5mm	8mm
Click Value @100 Yards	1/4"	1/4"
Length	9.4"	8.2"
Weight	14oz	12.3oz
Parallax Setting	35Yds	50Yds
Rings	RGWM-25M4 (P057)	RQ2W1104 (P055)
Batteries	CR1620 3V	CR1620 3V

**FINE TUNING PARALLAX ADJUSTMENT**

An excellent tool to help easily adjust and fine tune parallax adjustment to reach the optimal setting. Small, medium, and large wheels provide users more choices according to their preference. Compatible with all Leapers UTG® scopes with Side Wheel Adjustable Parallax Turret.



Quick Reference AO Numbers



SCP-SW060B  
60mm Side Wheel Add-on

SCP-SW080B  
80mm Side Wheel Add-on

SCP-SW100B  
100mm Side Wheel Add-on

SCP-SW100BL  
100mm Side Wheel Add-on for **Bubble Leveler Scope**

SCP-SW080BB  
80mm Side Wheel Add-on for **Bugbuster® Scopes with SWAT**

OP-SW080  
80mm Side Wheel Add-on for **OP3 Series Scopes**



RG-MF30GS

Flip-to-side 30mm Ring with QD Lever Lock MIL-STD-1913 Picatinny Mount. Fits Magnifiers with 30mm, 27mm or 25.4mm(1") Tube.

US PAT. D672,839

US PAT. 8,397,421

EU PAT. 001984576-0001

**2 Inserts Included:**  
Mounting Diameter: 30mm, 27mm, or 25.4mm(1")

**LENS GLARE PROTECTION**

Reduces incoming glare and improves your sight picture on sunny days. Easy to install. Just screw onto the objective tube of the scope.



SHD-H2440

2.4" Sunshade for 40MM Objective UTG® Scopes. Compatible with: SCP-U4164AOIEW, SCP-U4164AOIED, SCP-U312AOIEW, SCP-U394AOIEW, SCP-U394AOIED

SCP-ES403

Eye shade for proper eye relief and glare prevention. Adaptor kit includes 3 shim rings in different thicknesses.

