

# JUMP TO A SERIES

Н	AK SIDE FOLDER [NEW]	130
ı	AR COLLAPSIBLE STOCKS	132
	S1 6-Position Stocks & Assemblies	
	S2 6-Position Stocks & Assemblies	
	S3 6-Position Stocks & Assemblies	
	S4 4-Position Stocks & Assemblies	
	U6 6-Position Stock Assemblies	
1	AR15 FIXED STOCKS	134
I	AR308 FIXED STOCK	134

TUBES & BUFFERS

(THIRD PARTY TRADEMARKS MAY BE USED IN THIS CATALOG FOR USER CONVENIENCE TO INDICATE THE FIT OR COMPATIBILITY OF THE APPLICABLE PRODUCT.)



# **AK SIDE FOLDER**










Five Position Settable LOP Adjustment



Spring-loaded LOP Deployment



Quick Detach Sling Swivel Housings



Push-button Lockup



### **AK SIDE FOLDER**

- Proudly Designed and Made in USA to fit Most Stamped AK Receivers
   Right-side Folding with Positive Push-button Engagement and Lockup
   Five Position Stock with Settable LOP Adjustment and Spring-loaded Deployment
   Angled Nonslip Rubberized Recoil Pad
   Reversible Quick Detach Sling Swivel Housing at Rear of Stock just Forward of Recoil Pad
   Left Side Quick Detach Sling Swivel Housing at Front of Stock just Before Receiver
   Impact & Heat Resistant Glass fiber-reinforced Matte Black Polymer Construction
   Counts as One US Compliance Part for 922R

- / Stock Only / RBU47FS01

Black	RBU47FS01
Platform	Stamped AK with Straight Tang
	Stock Assembly
Material	Polymer
Dimensions	10.62" x 1.95" x 5.43"
Weight	19.65 oz

## **COLLAPSIBLE STOCKS**









### S1 MIL-SPEC 6 POSITION STOCKS & ASSEMBLIES

- » Extended 8" Length for Increased Length of Pull
- / Stock Assembly / RBUS1BM
- / Stock Assembly / RBUS1DM / Stock Only / RBUS1BMS
- / Stock Only / RBUS1DMS

### **S2 MIL-SPEC 6 POSITION** STOCKS & ASSEMBLIES

- » Lightweight Slim Profile with Extended 7.50" Length for Increased Length of Pull
- / Stock Assembly / RBUS2BM / Stock Assembly / RBUS2DM
- / Stock Only / RBUS2BMS
- / Stock Only / RBUS2DMS

#### **S3 MIL-SPEC 6 POSITION** STOCKS & ASSEMBLIES

- » Sub-compact Profile for Lightweight, Comfortable Performance

  » US PAT. D773005
- / Stock Assembly / RBUS3BM
  / Stock Assembly / RBUS3DM
- / Stock Only / RBUS3BMS / Stock Only / RBUS3DMS
- » US PAT. D818074 / Stock Assembly / RBUS4BM

Applications

and Comfort

- / Stock Assembly / RBUS4DM
- / Stock Only / RBUS4BMS / Stock Only / RBUS4DMS

#### **S4 MIL-SPEC 4 POSITION U6 MIL-SPEC 6 POSITION** STOCKS & ASSEMBLIES STOCK ASSEMBLIES

- » Lightweight, Ultra Sub-compact » Dual Standard Sling Loop Profile, Ideal for Compact Attachment Points
- » Lightweight Design with a Classic Look and Feel » Included Removable Cheek Rest for Improved Shooting Stability
  - / Stock Assembly / RBU6BM / Stock Assembly / RBU6DM

### UTG PRO®

### **COLLAPSIBLE STOCKS**

- » Proudly Designed and Made in USA
- » Stock Molded from Impact Resistant High Strength Polymer

  » Built for Heavy Duty Use with the
- Tightest Tolerance Controls to Provide the Most Secure Fit and Function



Black	RBUS1BM	RBUS1BMS	RBUS2BM	RBUS2BMS	RBUS3BM	RBUS3BMS	RBUS4BM	RBUS4BMS	RBU6BM
FDE 🔣	RBUS1DM	RBUS1DMS	RBUS2DM	RBUS2DMS	RBUS3DM	RBUS3DMS	RBUS4DM	RBUS4DMS	RBU6DM
Туре	Mil-spec	Mil-spec	Mil-spec	Mil-spec	Mil-spec	Mil-spec	Mil-spec	Mil-spec	Mil-spec
	Stock Assembly	Stock Only	Stock Assembl						
Dimensions	8.5" x 2.3	" x 5.5"	8.0" x 1.5	" x 5.3"	6.1" x 1.5"	x 4.8"	4.3" x 1.7"	x 4.8"	6.9" x 1.7" x 5.2
Weight	23.1 oz	12.6 oz	19.7 oz	9.9 oz	16.9 oz	7.0 oz	15.5 oz	5.7 oz	16.9 oz

UTG® PRO

### STOCKS, BUFFERS & TUBES

## **FIXED STOCKS**







### **S5 FIXED STOCK**

- Proudly Designed and Made in USA
   Stock Molded from Impact Resistant High Strength Matte Black Polymer
   Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function

- and Function
   Compatible with Rifle-length Receiver Extension Tube, Does Not Require A2 Buttstock Spacer
   Overall Length with Ergonomic Slanted Cheek Rest and Steel Reinforced Rubberized Butt Pad
   Integral Picatinny Rail Attaches Included 0.23" Cheek Riser and Other Accessories
   Reversible Quick Detach Sling Swivel Housing for Left or Right Handed Shooters and Standard Sling Swivel Stud for Traditional Slings
- / AR / Stock Only / RBUS5BMS-A

### **A2 FIXED STOCK ASSEMBLIES**

- » Stock Molded from Impact Resistant High Strength Polymer
  » (RB-T308FB) Compatible with ARMALITE® AR-10®, DPMS® LR-308, S&W M&P® 10, and Other Clones
- / AR15 / Stock Assembly / RB-T469B / AR308 / Stock Assembly / RB-T308FB

Black	RBUS5BMS-A	RB-T469B	RB-T308FB
Platform	AR	AR15	AR308
	Stock Only	Stock Assembly	Stock Assembly
Dimensions	10.5" x 2.0" x 5.6"	10.8" x 1.6" x 5.1"	10.8" x 1.6" x 5.1"
Weight	14.8 oz	26.4 oz	25.5 oz



### **TUBES & BUFFERS**





### MIL-SPEC 6 POSITION RECEIVER EXTENSION TUBES & KITS

- » Extension Tube CNC Machined from 7075-T6 or 6061-T6 Aircraft Aluminum with Precisely Rolled Threads for Durable Thread Engagement with Lower Receiver
- » Tightest Tolerance Controls for a Secure Fit and Function with Various Collapsible Stocks
- » Finished in a Matte Black/Blue/Red/Bronze Hard Coat Anodization or FDE CERAKOTE®

Black	TLU001-KIT	TLU001MS	TLU001
Red			TLU001R
Blue			TLU001B
FDE 🔣	TLU001D-KIT		TLU001D
Bronze			TLU001Z
Platform	AR15	AR15	AR15
Туре	Mil-spec	Mil-spec	Mil-spec
	Tube Kit	Tube Only	Tube Only
Material	6061-T6	7075-T6	6061-T6
Dimensions		7.3" × 1.1" × 1.4"	
Weight	9.3 oz	4.0	OZ



### **CARBINE-LENGTH RECOIL BUFFERS**

» Potentially Increases Dwell Time, Eases Extraction, and Reduces Felt Recoil

H2 / 4.6 oz / RB-T6BFH2 H3 / 5.4 oz / RB-T6BFH3





#### AR PISTOL RECEIVER EXTENSION TUBE & KIT

- >> 1.2" OD Receiver Extension Tube Compatible with AR15 Lower Receivers
- » Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- » Finished in a Matte Black Type III Class II Hard Coat Anodized
- Compatible with Standard AR15 Type Buffers and Springs
   Compatible with Most AR Pistol Receiver Extension Tube Covers
- / Tube Only / TLU008
- / Tube Kit / TLU008-KIT





### AR PISTOL EXTENDED RECEIVER EXTENSION TUBE & KIT

- » Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- » Finished in a Matte Black Type III Class II Hard Coat Anodized Finish
- Compatible with Standard AR15 Type Buffers and Springs
   8.5" Extended Length and Compatible with GEAR HEAD WORKS® TAILHOOK™ MOD 1/1C Brace and or Most AR Pistol Receiver Extension Tube Covers
- / Tube Only / TLU009
- / Tube Kit / TLU009-KIT





### **A2 RECEIVER EXTENSION TUBE KIT**

- » Rifle-length Extension Tube Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » Includes Rifle-length Extension Tube, Buffer, and Spring, A2 Stock Spacer, and Stock Screw
- / Tube Kit / TLT-A2KT